


Κατάλογος Προϊόντων





Κάθε επιχείρηση ξεκινάει με ένα όραμα.
Το δικό μας είναι απλό:

Θέλουμε να δημιουργούμε τις καλύτερες δυνατές λύσεις για τα οδοντικά εμφυτεύματα, οι οποίες να προσφέρουν ποιότητα χωρίς συμβιβασμούς σε ανταποδοτική τιμή. Οι άνθρωποι της εταιρείας μας βοηθούν στην ανάπτυξη και στην ευημερία της. Για τον λόγο αυτό δίνουμε ιδιαίτερη σημασία στο να χτίζουμε ισχυρές προσωπικές σχέσεις, οι οποίες μας επιτρέπουν να ικανοποιούμε τις ανάγκες των γιατρών και των συνεργατών μας διασφαλίζοντας ένα τέλειο αποτέλεσμα. Κατανοώντας ότι η δική τους επιτυχία είναι και δική μας, έχουμε εστιάσει στο να παρέχουμε επαγγελματικές, υψηλής ποιότητας προσιτές λύσεις και εξαιρετικές υπηρεσίες οι οποίες τους βοηθούν στην ανάπτυξη τους.

Εξειδίκευση

Τα υψηλής ποιότητας προϊόντα μας, συνδυάζουν την καινοτομία με την αξιοπιστία και την ευκολία χρήσης και είναι σχεδιασμένα έτσι ώστε να ανταποκρίνονται στις επαγγελματικές σας απαιτήσεις και στις ανάγκες των ασθενών σας.


Με την Adin είστε ήσυχτοι.

Επιβράβευση

Η Adin είναι εστιασμένη στο να προσφέρει προσιτές λύσεις στους ασθενείς και στους επαγγελματίες του οδοντιατρικού κλάδου, χωρίς συμβιβασμούς στην ποιότητα.

Αναγνώριση

Εκλαμβάνουμε την επιτυχία των γιατρών μας προσωπικά και είμαστε αφοσιωμένοι στο να εξυπηρετούμε τις ανάγκες σας. Με υπερηφάνεια επιλύουμε τις προκλήσεις σας και επινοούμε καινοτόμες λύσεις. Είμαστε εδώ για εσάς, παρέχοντας απaráμιλλη προσοχή σε προσωπικό επίπεδο και εξαιρετικές υπηρεσίες.



Internal Hex

Το σύστημα εμφυτευμάτων Internal Hex με σύνδεση εσωτερικού εξαγώνου της εταιρείας μας -Touareg S/OS, αποτελείται από ριζόμορφα εμφυτεύματα με σπειροειδές ακρορριζικό τμήμα σχεδιασμένα έτσι ώστε να συμπυκνώνουν το οστό κατά την τοποθέτηση για επίτευξη άμεσης σταθερότητας.

Οι δύο μεγάλες διαφορετικές σπείρες και το ριζόμορφο σώμα του εμφυτεύματος επιτρέπουν ακριβή τοποθέτηση, βελτιωμένη αισθητική και καλύτερη διανομή της φόρτισης.

Τα εμφυτεύματα Touareg™-OS και Touareg™-S διαθέτουν αμφότερα ένα ειδικά αποστρογγυλεμένο ακρορρίζιο, το οποίο σπρώχνει το οστικό μόσχευμα χωρίς να προκαλέσει βλάβη στις ανατομικές δομές.

Το Swell™ -Ένα υβριδικό εμφύτευμα με σύνδεση εσωτερικού εξαγώνου, με παράλληλα τοιχώματα, κωνικό ακρορρίζιο και με σπείρες οι οποίες είναι σχεδιασμένες σε σχήμα V.

Τα εμφυτεύματα Touareg™-OS, Touareg™-S και Swell™ είναι εύχρηστα και ο μοναδικός σχεδιασμός που διαθέτουν επιτρέπει και την άμεση λειτουργία στην πλειοψηφία των περιπτώσεων.



Touareg™ S/OS

Το πιο δημοφιλές μας εμφύτευμα. Κατασκευασμένο για γρήγορη και απρόσκοπτη χρήση, διαθέτει σύνδεση εσωτερικού εξαγώνου, μηχανισμό υψηλής σταθερότητας και μοναδική επεξεργασία της επιφάνειας του.

Σταθερότητα – Το εμφύτευμα Touareg™ της εταιρείας μας χαρακτηρίζεται από αυτοκοχλιούμενες σπείρες με ενεργή κοπή, είναι κατασκευασμένο να παράγει ιδανική αρχική σταθερότητα και διαθέτει ικανότητα για άμεση φόρτιση σε οστά όλων των τύπων. Είναι σχεδιασμένο για να εργάζεστε με αυτοπεποίθηση και να εξασφαλίζετε προβλέψιμες διαδικασίες.

One Connection – Όλες οι διάμετροι Touareg™ και τα εξαρτήματα προσθετικής συνδέονται με μια ενιαία σύνδεση εσωτερικού εξαγώνου (Internal Hex) για να απλοποιήσουν τη διαχείριση των χειρουργικών και προσθετικών διαδικασιών.

OsseoFix™ – Πρόκειται για μία βιοσυμβατή επεξεργασία της επιφάνειας, κατά την οποία χρησιμοποιείται αμμοβόλψη με Φωσφορικό Ασβέστιο χωρίς υπολείμματα και που έχει σχεδιαστεί για την επίτευξη των επιθυμητών επιπέδων αδρότητας που χρειάζονται για άριστη οστεοενσωμάτωση.

AB/AE – Αδροποιεί την μικρο και νάνο-δομή στην τοπογραφία της επιφάνειας. Αυτή η δομή οδηγεί σε άριστη πρόσφυση των κυττάρων και πολλαπλασιασμό τους στις κοιλότητες της αδροποιημένης επιφάνειας του εμφυτεύματος, αυξάνοντας σημαντικά τον αριθμό των κυττάρων που προσκολλώνται σε αυτή, γεγονός που συνδέεται με επίτευξη μικρότερου χρόνου επούλωσης.



Ένα σύστημα αποκατάστασης για την απλουστευμένη διαχείριση των χειρουργικών και προσθετικών εξαρτημάτων

Διάμετρος εμφυτεύματος
Ø 3.5-6mmD

Ενσωματωμένη αλλαγή
διαμέτρου πλατφόρμας
Built-in platform switching

Άμεση ικανότητα
λειτουργίας

Micro σπείρες:

Κατασκευασμένες για την ενίσχυση της οστικής αναγέννησης, πρόληψη της οστικής απώλειας & αύξηση της επαφής οστού και εμφυτεύματος

Σχεδιασμένο να παρέχει υψηλή αρχική σταθερότητα σε όλους τους τύπους οστού


Ελάχιστη επεμβατική τεχνική

Αυτο κοχλιούμενο

Διπλό βήμα σπειρών 2.4mm(2×1.2)
Για γρήγορη και αποτελεσματική τοποθέτηση

Ικανότητα διόρθωσης της κατεύθυνσης για άριστη τοποθέτηση

Στρογγυλό άκρο




	Ø mm	L mm	D3 mm	Catalog No.
	3.5	8.00	3.05	ISPS0835
		10.00	3.00	ISPS1035
		11.50	2.90	ISPS1135
		13.00	2.90	ISPS1335
		16.00	2.90	ISPS1635
		18.00	2.90	ISPS1835
	3.75	8.00	3.15	ISPS0838
		10.00	3.10	ISPS1038
		11.50	3.10	ISPS1138
		13.00	3.05	ISPS1338
		16.00	3.00	ISPS1638
		18.00	3.00	ISPS1838
	4.2	6.25	3.70	ISPS0642
		8.00	3.40	ISPS0842
		10.00	3.40	ISPS1042
		11.50	3.35	ISPS1142
		13.00	3.30	ISPS1342
		16.00	3.25	ISPS1642
		18.00	3.20	ISPS1842
	5.0	6.25	4.50	ISPS0650
		8.00	4.20	ISPS0850
		10.00	4.15	ISPS1050
		11.50	4.10	ISPS1150
		13.00	4.10	ISPS1350
		16.00	4.05	ISPS1650
	6.0	6.25	5.50	ISPS0660
		8.00	5.20	ISPS0860
		10.00	5.15	ISPS1060
		11.50	5.10	ISPS1160
		13.00	5.10	ISPS1360

Touareg™ -OS Recommended insertion torque up to 50 Ncm

	Ø mm	L mm	D3 mm	Catalog No.
	3.5	8.00	3.05	ISF0835
		10.00	3.00	ISF1035
		11.50	2.90	ISF1135
		13.00	2.90	ISF1335
		16.00	2.90	ISF1635
		18.00	2.90	ISF1835
	3.75	8.00	3.15	ISF0838
		10.00	3.10	ISF1038
		11.50	3.10	ISF1138
		13.00	3.05	ISF1338
		16.00	3.00	ISF1638
		18.00	3.00	ISF1838
	4.2	6.25	3.70	ISF0642
		8.00	3.40	ISF0842
		10.00	3.40	ISF1042
		11.50	3.35	ISF1142
		13.00	3.30	ISF1342
		16.00	3.25	ISF1642
		18.00	3.20	ISF1842
	5.0	6.25	4.50	ISF0650
		8.00	4.20	ISF0850
		10.00	4.15	ISF1050
		11.50	4.10	ISF1150
		13.00	4.10	ISF1350
		16.00	4.05	ISF1650
	6.0	6.25	5.50	ISF0660
		8.00	5.20	ISF0860
		10.00	5.15	ISF1060
		11.50	5.10	ISF1160
		13.00	5.10	ISF1360

Drill Sequence

Recommended drilling speed up to 1200 rpm



All measurements are in mm.

*For initial drilling, you may use Tri-step drill instead of ø2, ø2.8 and ø3.2 drills in sequence.

Cover Screw & Healing Abutments

Recommended Torque 15(Ncm)


RS Implant Cover Screw



Packed with implant

RS3435

RS Regular Healing Abutment



RS3022, GH2/L6.9

RS3023, GH3/L7.9


RS3024, GH4/L8.9

RS3025, GH5/L9.9

RS3026, GH6/L10.9

RS3042, GH7/L11.9

RS Slim Healing Abutment



RS3027, GH2/L6.7

RS3028, GH3/L7.7


RS3029, GH4/L8.7

RS3030, GH5/L9.7

RS3031, GH6/L10.7

RS3040, GH7/L11.7

RS Wide Healing Abutment



RS3012, GH2/L6.8

RS3013, GH3/L7.8

RS3014, GH4/L8.8

RS3015, GH5/L9.8

RS3016, GH6/L10.8

RS3017, GH7/L11.8




Αποτύπωση

Συνιστώμενη ροπή 15(Ncm)




Τα εξαρτήματα της εταιρείας μας για λήψη αποτυπωμάτων όλων των ειδών των αποκαταστάσεων μπορούν επιτυχώς να χρησιμοποιηθούν για ψηφιακά ή συμβατικά πρωτόκολλα είτε σε επίπεδο εμφυτεύματος είτε σε επίπεδο κολοβώματος/ διαβλεννογόνιου στηρίγματος (abutment).


Το ευρύ φάσμα λύσεων και επιλογών που διαθέτουμε επιτρέπει την πραγματοποίηση της μελέτης της αποκατάστασης με ακρίβεια και ευκολία, είτε πρόκειται για ένα ή περισσότερα δόντια, για γέφυρα ή για ολική αποκατάσταση.







Transfers & Analogs (Implant level)

Open Tray		L	D1	Catalog No.
	RS Open Tray Slim Transfer - Short	13.7	5.5	RS3510
	RS Open Tray Slim Transfer - Long	17.7	5.5	RS3514
	RS Open Tray Transfer	13.7	6.3	RS4510
	RS Open Tray Transfer	17.7	6.3	RS4514

Close Tray		L	D1	Catalog No.
	RS Slim Closed Tray Transfer - Short	10.7	3.5	RS5109
	RS Slim Closed Tray Transfer- Long	14.7	3.5	RS5113
	RS Closed Tray Transfer	10.7	4.5	RS5209
	RS Closed Tray Transfer	14.7	4.5	RS5213


Digital impression		H	D1	Catalog No.
	RS Scan body	7	-	RS0088
		10	-	RS0089





Analog		L	D1	Catalog No.
	RS Internal Hex Implant Analog	12.6	3.7	RS5737
	RS Digital Model Analog	10	3.75	RS1000








Συγκολλούμενες αποκαταστάσεις

Συνιστώμενη ροπή 35(Ncm)



Abutments	L	Ø	D2	H	GH	RH	Catalog No.
	9.2	4.5	3	7.5	1	6.5	RS0010
	10.2	4.5	3	8.5	2	6.5	RS0011
	11.2	4.5	3	9.5	3	6.5	RS0012
	10.4	4.5	3.5	8.5	1	7.5	RS3800
	10.3	4.5	3	8.7	1	7.7	RS3801
	11.3	4.5	3	9.7	2	7.7	RS3802
	12.3	4.5	3	10.7	3	7.7	RS3803
	13.3	4.5	3	11.7	4	7.7	RS3804
	14.3	4.5	3	12.7	5	7.7	RS3805
	14.2	4.5	3.5	12.5	1.5	11	RS3811
	10.5	4.5	4.5	8.9	1.9	7	RS3890


Abutments		L	∅	D2	H	GH	RH	Catalog No.
	RS Slim Titanium Abutment	5.3	3.9	3.3	3.6	0.6	3	RS3903
	RS Slim Titanium Abutment	7.9	3.9	3.3	6.2	0.6	5.6	RS3906
	RS Slim Titanium Abutment	10.4	3.9	3.3	8.6	0.6	8	RS3908
	RS Titanium Abutment 5.0 mmD Wide	11.2	5.0	3.2	9.6	2.2	7.4	RS3950
	RS Angled Titanium Abutment 15°	10.5	4.7	2.6	8.8	1.6	7.2	RS4015
	RS Angled Titanium Abutment 15° Long	13.1	4.68	1.8	11.5	1.5	10	RS4016
	RS Slim Angled Abutment 15° - No End Line	10.0	3.8	2.2	8.4	1	7.4	RS4017
	RS Slim Angled Abutment 15° - No End Line	11.0	3.8	2.2	9.4	2	7.4	RS4018
	RS Slim Angled Abutment 15° - No End Line	12.0	3.8	2.2	10.4	3	7.4	RS4019
	RS Angled Titanium Abutment 25°	10.6	4.7	2.5	9	2	7	RS4025
	RS Angled Titanium Abutment 35°	11.5	4.9	3.3	10	2	8	RS4035
	RS Esthetic Angled Titanium Abutment 15°	10.0	4.6	2.3	8.3	1	7.3	RS4115
	RS Esthetic Angled Titanium Abutment 15°	11.0	4.6	2.3	9.3	2	7.3	RS4117
	RS Esthetic Angled Titanium Abutment 15°	12.0	4.6	2.3	10.3	3	7.3	RS4119
	RS One Piece Screw-In Abutment	15.3	4.5	3.2	10.8	1.5	9.3	RS3812

Temporary Restoration		L	∅	D2	H	GH	RH	Catalog No.
	RS Engaging Straight Cylindrical Titanium Abutment	11.5	4.5	3.2	9.9	2	7.9	RS3411
	RS Non-Engaging Straight Cylindrical Titanium Abutment	11.5	4.5	3.2	9.9	2	7.9	RS3422



Κοχλιούμενες αποκαταστάσεις με χυτεύσιμα κολοβώματα (abutments)

Συνιστώμενη ροπή 35(Ncm)




Casting Abutments		L	Ø	D1	D2	H	GH	RH	Catalog No.
	RS Engaging Gold/Plastic Abutment	12.1	3.9	3.4	-	10.5	0.5	10	RS3090
	RS Engaging Plastic Casting Standard Abutment	10.5	4.5	3.4	3.5	8.9	0.8	7.9	RS5010
	RS Engaging Titanium/Plastic Abutment	13.0	4.9	3.4	-	11.4	1.4	10.0	RS3095
	RS Non-Engaging Titanium/Plastic Abutment	12.4	4.9	3.4	-	11.0	1.4	9.6	RS3097
	RS Engaging Cobalt Chrome/Plastic Abutment	12.1	3.9	3.4	3.9	10.5	0.5	10.0	RS3094
	RS Non-Engaging Cobalt Chrome/Plastic Abutment	12.1	3.9	3.4	3.9	10.5	0.5	10.0	RS3100
	RS Engaging Plastic Cylinder Casting Abutment	13.0	3.9	3.4	3.2	11.4	0.6	10.8	RS5000
	RS Non-Engaging Plastic Cylinder Casting Abutment	13.0	3.9	3.4	3.2	11.4	0.6	10.8	RS5020
	RS Engaging Plastic Standard Abutment	10.5	4.5	3.4	3.5	8.9	2.0	6.9	RS5030
	RS Non-Engaging Plastic Standard Abutment	10.5	4.5	3.4	3.5	8.9	1.0	7.9	RS5050
	RS Engaging Plastic Cylinder Abutment	10.5	3.9	3.4	3.9	9.1	0.2	8.9	RS5040

Screws		L	Ø	D1	D2	H	GH	RH	Catalog No.
	RS Prosthetic Screw	9.5	2.1	-	2.1	-	-	-	RS3400
	RS Short Prosthetic Screw	8.2	2.1	-	2.1	-	-	-	RS3402
	RS Screw for Angled Titanium Abutment	8.2	2.4	-	2.4	-	-	-	RS3480
	Open Tray Screw Short	25	3.1	-	-	-	-	-	RS3428
	Open Tray Screw Long	29	3.1	-	-	-	-	-	RS3429
	Close Tray Transfer Screw Short	16.5	3.1	-	-	-	-	-	RS5126
	Close Tray Transfer Screw Long	20.5	3.1	-	-	-	-	-	RS5127



Αποκαταστάσεις με επένθετες οδοντοστοιχίες

Συνιστώμενη ροπή 35(Ncm)



		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Plastic Ball Cap White (Nylon)	2.6	4.1	-	3.6	-	-	-	RS2660
	Plastic Ball Cap Pink Soft (Nylon)	2.6	4.1	-	3.6	-	-	-	RS2662
	Titanium Ball Cap	2.9	4.7	-	4.7	-	-	-	RS2670
	Stainless Steel Ball Cap	2.9	4.7	-	4.7	-	-	-	RS2675SS
	RS Ball Attachment	7.45	4	3.4	2.5	2.95	0.5	2.45	RS2650
		7.95	4	3.4	2.5	3.45	1	2.45	RS2651
		8.95	4	3.4	2.5	4.45	2	2.45	RS2652
		9.95	4	3.4	2.5	5.45	3	2.45	RS2653
		-	4	3.4	2.5	6.45	4	2.45	RS2654
		11.95	4	3.4	2.5	7.45	5	2.45	RS2655
	RS Ball Attachment	8.2	3.6	3.4	2.5	3.7	1	2.7	RS2861
		9.2	3.6	3.4	2.5	4.7	2	2.7	RS2862
		10.2	3.6	3.4	2.5	5.7	3	2.7	RS2863
		11.2	3.6	3.4	2.5	6.7	4	2.7	RS2864
		12.2	3.6	3.4	2.5	7.7	5	2.7	RS2865
		13.2	3.6	3.4	2.5	8.7	6	2.7	RS2866
	Ball Attachment Replica	16.6	4.0	-	-	-	0.8	2.7	RS5740

Ball Attachment Driver




Torque Driver for
Ball Attachment

RS6090

Grip™ Abutments

| Includes RS6426 processing set



Touareg™ | Internal Hex

One connection



Grip RS Abutment 1mm	RS3037
Grip RS Abutment 2mm	RS3032
Grip RS Abutment 3mm	RS3033
Grip RS Abutment 4mm	RS3034
Grip RS Abutment 5mm	RS3035
Grip RS Abutment 6mm	RS3036

Grip™ components

Metal housing ●  Grip™ for TMA ●  TM0100

Grip™ retention ● 

Grip™ extended range retention ● 

Grip™ for Bar, M2 thread ●  RS0101

Grip™ abutment retention ● 

Grip™ system components

For Impression and fabrication process

Impression coping ●  RS6414


Lab grip retention ●  RS6416

Replica ●  RS2508

Block out spacer ●  RS6424

Selection

Based on the results of the patient's pre-surgical assessment, the dentist should select and order the appropriate Grip™ abutment, based on the type of implant, diameter, and tissue height (GH).



Retention



The Grip™ implant attachment system was designed with customizable levels of retention:

Dual retention, pivoting action provides resiliency to maximize stability and longevity




Extended range male's pivoting action engineered to allow insertion with up to 40° total divergence



Grip™ core tool

Designed for inserting and removing the Grip™ retention males from the metal housing



Grip core tool

RS6200

Grip™ abutment tool drivers

For tighten the Grip™ abutment to the implant



1.27 Hex hand driver-medium

RS6094



1.27 Hex torque driver-long

RS6082



1.27 Hex driver for handpiece - long

RS9035



1.27 Hex hand driver-short

RS6095



1.27 Hex torque driver-short

RS6080



1.27 Hex driver for handpiece - short

RS9030

Sales Pack

	Metal housing 4 pack	RS6413
---	-------------------------	--------

			extra light	Grip Retention 4 pack	RS6417
			light		RS6418
			regular		RS6419

			zero	Grip Extended Range Retention 4 pack	RS6420
			extra light		RS6421
			light		RS6422
			regular		RS6423

	Grip Impression coping 4 pack	RS6414
---	----------------------------------	--------

	Grip Processing 4 pack	RS6415
---	---------------------------	--------

	Grip Processing 20 pack	RS6416
--	----------------------------	--------

	Grip Replica 4 pack	RS2508
--	------------------------	--------

	Grip Block out spacer 4 pack	RS6424
--	---------------------------------	--------

Grip processing set		housing		RS6426
		processing		
		extra light		
		light		
		regular		
		block out spacer		


Grip Extended Range processing set		housing		RS6427
		processing		
		zero		
		extra light		
		light		
		regular		
		block out spacer		

Grip processing set		housing		RS6428
		processing		
		extra light		
		light		
		block out spacer		



TMA™ - Multi Unit Αποκαταστάσεις με γέφυρες

Συνιστώμενη ροπή 35(Ncm)





Το σύστημα TMA™ (διαβλενογόνο κολόβωμα) της εταιρείας μας ενδείκνυται για κοκλιούμενες αποκαταστάσεις με γέφυρες και μπορεί να χρησιμοποιηθεί συνδυαστικά με σχεδιασμό σκελετού σε επίπεδο εμφυτεύματος.



Το σύστημα TMA™ χρησιμοποιείται για την ανύψωση της πλατφόρμας έδρασης της αποκατάστασης όταν η αποκατάσταση σε επίπεδο εμφυτεύματος δεν ενδείκνυται, είτε για λόγους πρακτικούς εξαιτίας του βάθους είτε εξαιτίας της γωνίας του εμφυτεύματος.




Είναι σχεδιασμένο για να επιτρέπει καλύτερη πρόσβαση στην αποκατάσταση όταν χρησιμοποιούνται εμφυτεύματα με αποκλίνουσες γωνίες για αποκαταστάσεις οδοντικών τόξων με ολική ή μερική νωδότητα, ειδικά όταν χρησιμοποιούνται γωνιώδη εμφυτεύματα και η τεχνική all-on-x για αποκατάσταση πλήρους τόξου.



Το σύστημα abutment TMA™ είναι διαθέσιμο σε ευθύ ή γωνιώδες (17°, 30°, 45°) περιλαμβάνει το εσωτερικό εξάγωνο (Internal Hex) ως οδηγό και διαθέτει επιλογή για τα ύψη του κολάρου. Τα κολοβώματα/διαβλενογόνα στηρίγματα (abutments) διατίθενται με μικρές λαβές για εύκολο χειρισμό και τοποθέτηση.


TMA	L	∅	D1	H	GH	RH	Catalog No.
	RS Straight Trans Mucosal Abutment	3.7	4.9	3.4	3.1	1	RS3731
	RS Straight Trans Mucosal Abutment	4.7	4.9	3.4	4.1	2	RS3732
	RS Straight Trans Mucosal Abutment	5.7	4.9	3.4	5.1	3	RS3733
	RS Straight Trans Mucosal Abutment	6.7	4.9	3.4	6.1	4	RS3729
	RS Straight Trans Mucosal Abutment	7.7	4.9	3.4	7.1	5	RS3730
	RS Angled Trans Mucosal Abutment 17°	5.17	4.9	3.4	-	2	RS3734
	RS Angled Trans Mucosal Abutment 17°	6.05	4.9	3.4	-	3	RS3737
	RS Angled Trans Mucosal Abutment 30°	5.7	4.9	3.4	-	3	RS3735
	RS Angled Trans Mucosal Abutment 30°	6.5	4.9	3.4	-	4	RS3738
	RS Angled Trans Mucosal Abutment 45°	5.94	4.9	3.4	-	4	RS3736






Transfers		L	∅	D1	D2	H	GH	RH	Catalog No.
	TMA Impression Transfer Open Tray	11	4.9	-	3.1	-	-	-	RS5006
	TMA Impression Transfer Closed Tray	8	4.9	-	4	-	-	-	RS5011

Scan Body		L	∅	D1	D2	H	GH	RH	Catalog No.
	TMA Scan Body	6	4.9	4.9	3.8	4.9	-	-	TM0006
		9	4.9	4.9	3.8	4.9	-	-	TM0009



TMA Abutment		L	∅	D1	D2	H	GH	RH	Catalog No.
	TMA Titanium Temporary Cylinder	12	4.9	-	3.5	-	1.5	10.5	RS4900
	TMA Plastic Casting Sleeve w/Prosthetic Screw	12	4.9	-	3.3	-	1.5	10.5	RS5001
	TMA Cementing Cone	4.9	4.9	-	2.9	-	1.5	3.4	TM0010

TMA Replica		L	∅	D1	D2	H	GH	RH	Catalog No.
	TMA Abutment Replica	16.75	4.9	-	3.6	-	-	-	RS5004
	TMA Digital Model Replica Recommended torque 15(Ncm)	12	4.9	-	3.8	-	-	-	RS1001

Healing Cap		L	∅	D1	D2	H	GH	RH	Catalog No.
	TMA Healing Cap	5.5	4.9	-	3.5	-	-	-	RS5005
		7.0	4.9	-	3.5	-	-	-	RS5003

Screws		L	∅	D1	D2	H	GH	RH	Catalog No.
	RS Retaining Screw For Angled TMA	6.1	2.4	-	-	-	-	-	RS3403
	TMA Prosthetic Screw 15(Ncm)	4.1	2.1	-	-	-	-	-	RS3404
	RS Retaining Screw for TMA 1mm	7.8	3.1	-	-	-	-	-	RS3406
	RS Retaining Screw for TMA 2mm	8.8	3.1	-	-	-	-	-	RS3407
	RS Retaining Screw for TMA 3mm	9.8	3.1	-	-	-	-	-	RS3408
	RS Retaining Screw for TMA 4mm	10.8	3.1	-	-	-	-	-	RS3409
	RS Retaining Screw for TMA 5mm	11.8	3.1	-	-	-	-	-	RS3412
	TMA Screw For Open Tray Transfer	14	2.1	-	-	-	-	-	RS5008
	TMA Screw for Closed Tray Transfer	6.8	2.5	-	-	-	-	-	RS5009

TMA/Flat connection drivers

	RS6196		RS6197		RP0005		RP0065
*For straight TMA/Flat connection		*For straight TMA/Flat connection		*For Angeld TMA/TMA prosthetic screw		*For Angeld TMA/TMA prosthetic screw	



	RS6191		RS6193		RP0004		RP0064
*For straight TMA/Flat connection		*For straight TMA/Flat connection		*For Angeld TMA/TMA prosthetic screw		*For Angeld TMA/TMA prosthetic screw	


	RS6195A		RS6194
*For straight TMA/Flat connection		*For straight TMA/Flat connection	


Single TMA



RS - Internal Hex Platform | STMA Abutments




RS - Internal Hex Platform STMA Abutments		L	D1	∅	GH	RH	Catalog No.
	RS Straight Single TMA Abutment 1mm	8.0	3.4	4.9	1.0	2.1	RS3731S
	RS Straight Single TMA Abutment 2mm	4.7	3.4	4.9	2.0	2.1	RS3732S
	RS Straight Single TMA Abutment 3mm	5.7	3.4	4.9	3.0	2.1	RS3733S
	RS Straight Single TMA Abutment 4 mm	6.7	3.4	4.9	4.0	2.1	RS3729S
	RS Straight Single TMA Abutment 5 mm	7.7	3.4	4.9	5.0	2.1	RS3730S

	RS Angled Single TMA Abutment 17° 2mm	5.2	3.4	4.9	2.0	2.15	RS3734S
	RS Angled Single TMA Abutment 30° 3mm	5.7	3.4	4.9	3.0	2.15	RS3735S
	RS Angled Single TMA Abutment 17° 3mm	6.1	3.4	4.9	3.0	2.15	RS3737S
	RS Angled Single TMA Abutment 30° 4mm	6.5	3.4	4.9	4.0	2.15	RS3738S



Screw - Retained

Flat Connection Recommended Torque 35(Ncm)



		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Flat Connection Abutment	6.5	4.5	3.4	-	2	2	0	FC4502
	Flat Connection Abutment	8.5	4.5	3.4	-	4	4	0	FC4504
	Flat Connection Transfer Impression Coping	11	4.5	-	4.2	-	-	10.2	FC5512
	Flat Connection Temporary Cylinder Sleeve	11.5	4.5	-	3.9	11.1	0.4	10.7	FC5515
	Flat Connection Implant Replica	12.6	4.5	-	3.4	-	-	-	FC5737
	Flat Connection Castable Abutment for Centering Ring	13.6	4.6	-	3	13.6	0.1	13.5	FC6011
	Flat Connection Centering Ring	3.8	4.5	-	3.2	3.4	0.6	2.8	FC6018
	Flat Connection Titanium Gluing Ring	3.8	4.5	-	3.1	3.4	0.6	2.8	FC6013
	Flat Connection Titanium Retaining Screw 15(Ncm)	5	2.5	-	-	-	-	-	FC6015
	Flat Connection Long Laboratory Screw	17	2.5	-	-	-	-	-	FC6017



Tri-Step & Twist Step Χειρουργικά τρυπάνια




Τα DLC (Diamond Like Carbon) χειρουργικά μας τρυπάνια Tri-Step/Twist Step Surgical Drills είναι μοναδικά σχεδιασμένα και διαθέτουν ειδική επικάλυψη για την βελτίωση της χειρουργικής διαδικασίας τρυπανισμού.

Τα τρυπάνια Tri-Step/Twist Step απλοποιούν την διαδικασία κοπής, εξοικονομούν χρόνο και εξαλείφουν το ρίσκο. Η βελτιωμένη επικάλυψη DLC της εταιρείας μας παρέχει μοναδική σκληρότητα και λείανση η οποία αυξάνει τον χρόνο ζωής του τρυπανιού, διατηρεί την αιχμηρότητα του για εκτεταμένους τρυπανισμούς και προκαλεί λιγότερη θερμότητα, μειώνοντας έτσι την πιθανότητα θέρμανσης του οστού ή δημιουργίας επιπλοκών που προέρχονται από τα συμβατικά πρωτόκολλα τρυπανισμού.





















Τα τρυπάνια διατίθενται στις παρακάτω διαμέτρους: 2.0, 2.5, 2.8, 3.2, 3.6, 4.2, 4.6, 5.2, 5.6. Είναι ειδικά σχεδιασμένα για τα εμφυτεύματα Adin και κατάλληλα για το απλό και εύχρηστο πρωτόκολλο τρυπανισμού τους. Η κωδικοποίηση τους αναγράφεται με ευανάγνωστο και εύχρηστο τρόπο και μπορούν να χρησιμοποιηθούν με ή χωρίς οδηγούς βάθους τρυπανισμού (drill stops).

Τρυπάνια Tri-Step

Τα τρυπάνια Tri-Step της Adin συμπυκνώνουν τα πρωτόκολλα τρυπανισμού και έτσι αποφεύγεται η ανάγκη για χρήση πολλών τρυπανιών κατά τη διάρκεια πολύπλοκων διαδικασιών. Λόγω του ότι η τριβή στην πλευρά κοπής είναι μειωμένη, οι επιπλοκές που είναι συνηθισμένες με την χρήση υψηλής ταχύτητας τρυπανισμού μειώνονται, γεγονός που έχει ως αποτέλεσμα γρηγορότερη και καλύτερη ανάρρωση.

L	Ø		Size	Catalog No.
	1.8-3.2		short	TD1511
	1.8-3.2		long	TD2218




Twist Step drills

L	Ø		Color	Catalog No.
<p>short</p>  <p>6-13mm</p>	2.0		white	DL1320
	1.8-2.5		purple	DL1325
	2.3-2.8		red	DL1328
	2.8-3.2		blue	DL1332
	3.2-3.6		green	DL1336
	3.8-4.2		black	DL1342
	4.2-4.6		yellow	DL1346
	4.8-5.2		brown	DL1352
	5.2-5.6		grey	DL1356
<p>long</p>  <p>8-18mm</p>	2.0		white	DL1820
	1.8-2.5		purple	DL1825
	2.3-2.8		red	DL1828
	2.8-3.2		blue	DL1832
	3.2-3.6		green	DL1836
	3.8-4.2		black	DL1842
	4.2-4.6		yellow	DL1846
	4.8-5.2		brown	DL1852
	5.2-5.6		grey	DL1856



Surgical Tools



		Catalog No.
	Surgical Torque Ratchet 35-100 Ncm	RS6111
	Wrench Ratchet	RS6100
	Surgical Driver	RS7001



Depth Probe

RS6180



Wrench Ratchet Surgical Instruments Handle 17mm	RA0050
--	--------



Drill Extension	RS9027
-----------------	--------



Parallel Pin 11mm	RS6150
-------------------	--------



Parallel Pin 16mm	RS6155
-------------------	--------



RS 2.4 Hex Torque Driver 17mm	RS6011
----------------------------------	--------



RS 2.4 Hex Torque Driver 27mm	RS6012
----------------------------------	--------



RS Hex Handpiece Adapter 20mm	RS9020
----------------------------------	--------



RS Hex Handpiece Adapter 25mm	RS9025
----------------------------------	--------



RS Hex Handpiece Adapter 23.7 mm	RS9021
-------------------------------------	--------



RS Hex Handpiece Adapter	28.6 mm 36 mm	RS9026 RS9029
-----------------------------	------------------	------------------



Prosthetic Tools



Ratchet



Prosthetic Torque Ratchet
15-35 Ncm

RS6112



1.27 Hex Torque
Driver 20.4mm

RS6080



1.27 Hex Torque
Driver 25.4mm

RS6082



TMA/FC Hex
Torque Driver 25mm

RS6196

*For straight TMA/Flat connection



TMA/FC Hex Torque
Driver 20mm

RS6197

*For straight TMA/Flat connection



Star Torque
Driver 20.4mm

RP0065

*For Angeld TMA/TMA prosthetic screw



Star Torque
Driver 25.4mm

RP0005

*For Angeld TMA/TMA prosthetic screw



Torque Driver for Ball
Attachment 14.4mm

RS6090

Handpiece



1.27 Hex Driver for Handpiece
30mm

RS9035



1.27 Hex Driver for
Handpiece 25mm

RS9030



TMA/FC Hex Handpiece
Adapter 25mm

RS6195A

*For straight TMA/Flat connection



TMA/FC Hex Handpiece
Adapter 20mm

RS6194

*For straight TMA/Flat connection

Hand drivers



1.27 Hex Hand Driver
46.4mm

RS6097



1.27 Hex Hand Driver
28.4mm

RS6094



1.27 Hex Hand Driver
22.4mm

RS6095



TMA/FC Female Hand
Hex Driver 28.4mm

RS6191

*For straight TMA/Flat connection



TMA/FC Female Hand
Hex Driver 22.4mm

RS6193

*For straight TMA/Flat connection



Star Hand Driver
23.4mm

RP0064

*For Angeld TMA/TMA prosthetic screw



Star Hand Driver
28.4mm

RP0004

*For Angeld TMA/TMA prosthetic screw

Retrieval Screw



RS Retrieval Screw For
Abutments 15mm


RS3401

Osteotomes



Osteotome Handle

HA0074



Osteotome Insert 2.0mmD

HA0061

Osteotome Insert 2.8mmD

HA0064

Osteotome Insert 3.25mmD

HA0067

Osteotome Insert 3.65mmD


HA0070















Χειρουργικές κασετίνες RS standard Hex



Οι επιτυχημένες χειρουργικές διαδικασίες ξεκινούν έχοντας τα σωστά εργαλεία για να διασφαλίσουμε ότι θα επιτευχθούν τα επιθυμητά αποτελέσματα θεραπείας.

Για τον λόγο αυτό το ευρύ φάσμα των εργαλείων μας διαθέτει ότι χρειάζεστε, συμπεριλαμβανομένων τρυπανιών, κλειδιών, κλειδιών σύσφιξης (κασάνιες) και εργαλείων τοποθέτησης. Όχι μόνο καθιστούν τις διαδικασίες πιο ασφαλείς, αλλά έχουν ως αποτέλεσμα βελτιωμένη εμπειρία για τον ασθενή.

Surgical Kit contents:			Premium RS6301	Advanced RS6322	Starter RS6333
Drills:					
	RS8032	Tip Drill	✓		
	TD2218	Tri-Step Drill - Long	✓		
	DL1820	Pilot Drill 2mmD x 8-18mmL	✓	✓	✓
	DL1828	Twist Step Drill 2.3/2.8mmD x 8-18mmL	✓	✓	✓
	DL1832	Twist Step Drill 2.8/3.2mmD x 8-18mmL	✓	✓	✓
	DL1836	Twist Step Drill 3.2/3.6mmD x 8-18mmL	✓	✓	✓
	DL1842	Twist Step Drill 3.8/4.2mmD x 8-18mmL	✓	✓	✓
	DL1846	Twist Step Drill 4.2/4.6mmD x 8-18mmL	✓	✓	✓
	DL1852	Twist Step Drill 4.8/5.2mmD x 8-18mmL	✓		
* 	DL1856	Twist Step Drill 5.2/5.6mmD x 8-18mmL	*		
	TD1511	Tri-Step Drill - Short	✓		
	DL1320	Pilot Drill 2mmD x 6-13mmL	✓		
	DL1328	Twist Step Drill 2.3/2.8mmDx6-13mmL	✓		
	DL1332	Twist Step Drill 2.8/3.2mmDx6-13mmL	✓		
	DL1336	Twist Step Drill 3.2/3.6mmDx6-13mmL	✓		
	DL1342	Twist Step Drill 3.8/4.2mmDx6-13mmL	✓		
	DL1346	Twist Step Drill 4.2/4.6mmDx6-13mmL	✓		
	DL1352	Twist Step Drill 4.8/5.2mmDx6-13mmL	✓		
	DL1356	Twist Step Drill 5.2/5.6mmDx6-13mmL	✓		
Surgical tools:					
	RS6111	Surgical Torque Ratchet 35-100 Ncm	✓	✓	
	RA0050	Wrench Ratchet Surgical Instruments Handle	✓	✓	✓
	RS6180	Depth Probe	✓	✓	
	RS6100	Wrench Ratchet			✓
Parallel pins:					
	RS6150	Parallel Pin Short (qty. 4)	✓	✓	
	RS6155	Parallel Pin Long (qty. 2)	✓	✓	
Insertion tools:					
	RS9021	RS Hex Handpiece Adapter - Short	✓	✓	✓
	RS9026	RS Hex Handpiece Adapter - Medium	✓	✓	✓
	RS9029	RS Hex Handpiece Adapter - Long	✓	✓	✓
Drivers:					
	RS6095	1.27 Hex Hand Driver - Short	✓	✓	✓
	RS6094	1.27 Hex Hand Driver - Medium	✓	✓	✓
Drill extension:					
	RS9027	Drill Extension	✓	✓	

*Products may be ordered separately as an addition to the kit

Premium Kit RS6301



Drills	Catalog No.
Tip Drill	RS8032
Tri-Step Drill - Long	TD2218
Pilot Drill 2mmD x 8-18mmL	DL1820
Twist Step Drill 2.3/2.8mmD x 8-18mmL	DL1828
Twist Step Drill 2.8/3.2mmD x 8-18mmL	DL1832
Twist Step Drill 3.2/3.6mmD x 8-18mmL	DL1836
Twist Step Drill 3.8/4.2mmD x 8-18mmL	DL1842
Twist Step Drill 4.2/4.6mmD x 8-18mmL	DL1846
Twist Step Drill 4.8/5.2mmD x 8-18mmL	DL1852
* Twist Step Drill 5.2/5.6mmD x 8-18mmL	DL1856
Tri-Step Drill - Short	TD1511
Pilot Drill 2mmD x 6-13mmL	DL1320
Twist Step Drill 2.3/2.8mmDx6-13mmL	DL1328
Twist Step Drill 2.8/3.2mmDx6-13mmL	DL1332
Twist Step Drill 3.2/3.6mmDx6-13mmL	DL1336
Twist Step Drill 3.8/4.2mmDx6-13mmL	DL1342
Twist Step Drill 4.2/4.6mmDx6-13mmL	DL1346
Twist Step Drill 4.8/5.2mmDx6-13mmL	DL1352
Twist Step Drill 5.2/5.6mmDx6-13mmL	DL1356

Surgical Tools	Catalog No.
Surgical Torque Ratchet 35-100 Ncm	RS6111
Wrench Ratchet Surgical Instruments Handle	RA0050
Depth Probe	RS6180

Paraller Pin	Catalog No.
Parallel Pin Short 11mm (qty. 4)	RS6150
Parallel Pin Long 16mm (qty. 2)	RS6155

Inserion Tools	Catalog No.
RS Hex Handpiece Adapter - Short	RS9021
RS Hex Handpiece Adapter - Medium	RS9026
RS Hex Handpiece Adapter - Long	RS9029

Paraller Pin	Catalog No.
1.27 Hex Hand Driver - Short	RS6095
1.27 Hex Hand Driver - Medium	RS6094

Drill Extension	Catalog No.
Drill Extension	RS9027

*Products may be ordered separately as an addition to the kit

Advanced Kit RS6322



Drills	Catalog No.
Pilot Drill 2mmD x 8-18mmL	DL1820
Twist Step Drill 2.3/2.8mmD x 8-18mmL	DL1828
Twist Step Drill 2.8/3.2mmD x 8-18mmL	DL1832
Twist Step Drill 3.2/3.6mmD x 8-18mmL	DL1836
Twist Step Drill 3.8/4.2mmD x 8-18mmL	DL1842
Twist Step Drill 4.2/4.6mmD x 8-18mmL	DL1846

Surgical Tools	Catalog No.
Surgical Torque Ratchet 35-100 Ncm	RS6111
Wrench Ratchet Surgical Instruments Handle	RA0050
Depth Probe	RS6180


Paraller Pin	Catalog No.
Parallel Pin Short 11mm(qty. 4)	RS6150
Parallel Pin Long 16mm (qty. 2)	RS6155


Inserion Tools	Catalog No.
RS Hex Handpiece Adapter - Short	RS9021
RS Hex Handpiece Adapter - Medium	RS9026
RS Hex Handpiece Adapter - Long	RS9029

Paraller Pin	Catalog No.
1.27 Hex Hand Driver - Short	RS6095
1.27 Hex Hand Driver - Medium	RS6094


Drill Extension	Catalog No.
Drill Extension	RS9027

*The advanced kit is also available with short drills | Catalog No. RS6324





V.A. CAD CAM




Οι βιβλιοθήκες και τα εξαρτήματα CAD-CAM της Adin επιτρέπουν στους οδοντίατρους και στους οδοντικούς τεχνολόγους να σχεδιάζουν και να κατασκευάζουν αποκαταστάσεις στηριζόμενες σε εμφυτεύματα Adin σύμφωνα με την τελευταία λέξη της τεχνολογίας, χρησιμοποιώντας τρέχουσες και σύγχρονες ψηφιακές διαδικασίες αποκατάστασης.

Η ποικιλία των εξαρτημάτων διασφαλίζει απεριόριστες επιλογές αποκαταστάσεων για περιστατικά ενός ή πολλών δοντιών, μερικής ή ολικής νωδότητας.

Scan body (Implant level)

| For Intra-oral and Desktop Scanner




RS
Scan Body 7mm

RS
Scan Body 10mm




Catalog No.	RS0088	RS0089
Retaining Screw Included	RS3400	RS3425
Dimensions	H1:7 mm W:4.3 mm L:6.7 mm	H1:10 mm W:4.4 mm L:6.8 mm

Ti Bases | For screw retained restorations



Catalog No.	RS1404	RS1408	RS1417
Abutment	Engaged	Non Engaged	Angular Engaged
Dimensions	L = 6.2 RH = 3.9 GH = 0.65 D2 = 3.3 W = 0.6	L = 6.2 RH = 3.9 GH = 0.65 D2 = 3.3 W = 0.6	L = 6.2 RH = 3.9 GH = 0.65 D2 = 3.3 W = 0.6

Ti Blanks | For Medentika PreFace® Holders




RS Ti Pre Milled
MDTK Abutment Blank
Ø 11.5mm

RS Ti Pre Milled
MDTK Abutment Blank
Ø 15.8mm



Catalog No.	RS1411	RS1415
Retaining Screw Included	RS3402	RS3402
Dimensions	H1: 15.2mm D2: Ø 11.5 mm	H1: 15.2mm D2: Ø 15.8 mm
Intended Use	customized abutment for single unit	customized abutment for single unit

Scan body (TMA level) | For Intra-oral and Desktop Scanner



TMA
Scan Body 6mm

TMA
Scan Body 9mm




Catalog No.	TM0006	TM0009
Retaining Screw Included	TM0001	TM0001
Dimensions	H1: 6 mm W: 4.3 mm D1 = 4.9 L: 6.7 mm	H1: 9 mm W: 4.4 mm D1 = 4.9 L: 6.8 mm


TMA

| Cementing Cone & Cylinder

TMA
Cementing Cone



Titanium
Temporary Cylinder



Catalog No.	TM0010	RS4900
Retaining Screw Included	TM0001	RS3404
Dimensions	H1: 4.9 mm H2:3.4 mm D1:ø3.8 mm D2:ø4.9 mm W: 0.5 mm	H1:12 mm H2:10.5 mm D1:ø3.9 mm D2:ø4.9 mm W:0.5 mm
Intended Use	customized abutment for single unit	customized abutment for single unit

RS Screws

Scan Body 7mm

Scan Body 10mm

For Ti Bases & Ti Blanks



Catalog No.	RS3400	RS3425	RS3402
Intended use	Prosthetic Screw	Screw for Closed Tray Transfer	Short Prosthetic Screw

TMA - Multi Unit Screws

TMA
Scan Body Screw

TMA
Prosthetic Screw



Catalog No.	TM0001	RS3404
Intended use	For TMA-MU Scan Body & Cementing Cone	For TMA-MU Temporary cylinder & TMA direct option



Digital Anologs Recommended Torque 15(Ncm)

Digital Anologs

RS Digital Analog

TMA Digital Replica

Retaining Screw



Catalog No.

RS1000

RS1001

RS1002

Tool driver

1.27 Hex Hand Driver Short

1.27 Hex Hand Driver Medium



Catalog No.


RS6095

RS6094






Ti Bases



Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RS Abutment, RH 4mm GH 1mm Engaged	4	1	4.5	3.5	6.65	0.5	TB04411
Ti Base RS Abutment, RH 4mm GH 2mm Engaged	4	2	4.5	3.5	7.65	0.5	TB04421
Ti Base RS Abutment, RH 4mm GH 3mm Engaged	4	3	4.5	3.5	8.65	0.5	TB04431
Ti Base RS Abutment, RH 4mm GH 4mm Engaged	4	4	4.5	3.5	9.65	0.5	TB04441
Ti Base RS Abutment, RH 6mm GH 1mm Engaged	6	1	4.5	3.5	8.65	0.5	TB04611
Ti Base RS Abutment, RH 6mm GH 2mm Engaged	6	2	4.5	3.5	9.65	0.5	TB04621
Ti Base RS Abutment, RH 6mm GH 3mm Engaged	6	3	4.5	3.5	10.65	0.5	TB04631
Ti Base RS Abutment, RH 6mm GH 4mm Engaged	6	4	4.5	3.5	11.65	0.5	TB04641
Ti Base RS Abutment, RH 8mm GH 1mm Engaged	8	1	4.5	3.5	10.65	0.5	TB04811
Ti Base RS Abutment, RH 8mm GH 2mm Engaged	8	2	4.5	3.5	11.65	0.5	TB04821
Ti Base RS Abutment, RH 8mm GH 3mm Engaged	8	3	4.5	3.5	12.65	0.5	TB04831
Ti Base RS Abutment, RH 8mm GH 4mm Engaged	8	4	4.5	3.5	13.65	0.5	TB04841

Engaged Wide	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RS Abutment, RH 4mm GH 1mm Engaged Wide	4	1	5.5	3.5	6.65	1	TB04411W
Ti Base RS Abutment, RH 4mm GH 2mm Engaged Wide	4	2	5.5	3.5	7.65	1	TB04421W
Ti Base RS Abutment, RH 4mm GH 3mm Engaged Wide	4	3	5.5	3.5	8.65	1	TB04431W
Ti Base RS Abutment, RH 4mm GH 4mm Engaged Wide	4	4	5.5	3.5	9.65	1	TB04441W
Ti Base RS Abutment, RH 6mm GH 1mm Engaged Wide	6	1	5.5	3.5	8.65	1	TB04611W
Ti Base RS Abutment, RH 6mm GH 2mm Engaged Wide	6	2	5.5	3.5	9.65	1	TB04621W
Ti Base RS Abutment, RH 6mm GH 3mm Engaged Wide	6	3	5.5	3.5	10.65	1	TB04631W


Ti Base RS Abutment, RH 6mm GH 4mm Engaged Wide	6	4	5.5	3.5	11.65	1	TB04641W
Ti Base RS Abutment, RH 8mm GH 1mm Engaged Wide	8	1	5.5	3.5	10.65	1	TB04811W
Ti Base RS Abutment, RH 8mm GH 2mm Engaged Wide	8	2	5.5	3.5	11.65	1	TB04821W
Ti Base RS Abutment, RH 8mm GH 3mm Engaged Wide	8	3	5.5	3.5	12.65	1	TB04831W
Ti Base RS Abutment, RH 8mm GH 4mm Engaged Wide	8	4	5.5	3.5	13.65	1	TB04841W



Non Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RS Abutment, RH 4mm GH 1mm Non Engaged	4	1	4.5	3.5	6	0.5	TB04412
Ti Base RS Abutment, RH 4mm GH 2mm Non Engaged	4	2	4.5	3.5	7	0.5	TB04422
Ti Base RS Abutment, RH 4mm GH 3mm Non Engaged	4	3	4.5	3.5	8	0.5	TB04432
Ti Base RS Abutment, RH 4mm GH 4mm Non Engaged	4	4	4.5	3.5	9	0.5	TB04442
Ti Base RS Abutment, RH 6mm GH 1mm Non Engaged	6	1	4.5	3.5	8	0.5	TB04612
Ti Base RS Abutment, RH 6mm GH 2mm Non Engaged	6	2	4.5	3.5	9	0.5	TB04622
Ti Base RS Abutment, RH 6mm GH 3mm Non Engaged	6	3	4.5	3.5	10	0.5	TB04632
Ti Base RS Abutment, RH 6mm GH 4mm Non Engaged	6	4	4.5	3.5	11	0.5	TB04642
Ti Base RS Abutment, RH 8mm GH 1mm Non Engaged	8	1	4.5	3.5	10	0.5	TB04812
Ti Base RS Abutment, RH 8mm GH 2mm Non Engaged	8	2	4.5	3.5	11	0.5	TB04822
Ti Base RS Abutment, RH 8mm GH 3mm Non Engaged	8	3	4.5	3.5	12	0.5	TB04832
Ti Base RS Abutment, RH 8mm GH 4mm Non Engaged	8	4	4.5	3.5	13	0.5	TB04842

Non Engaged Wide	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RS Abutment, RH 4mm GH 1mm Non Engaged Wide	4	1	5.5	3.5	6	1	TB04412W
Ti Base RS Abutment, RH 4mm GH 2mm Non Engaged Wide	4	2	5.5	3.5	7	1	TB04422W
Ti Base RS Abutment, RH 4mm GH 3mm Non Engaged Wide	4	3	5.5	3.5	8	1	TB04432W
Ti Base RS Abutment, RH 4mm GH 4mm Non Engaged Wide	4	4	5.5	3.5	9	1	TB04442W
Ti Base RS Abutment, RH 6mm GH 1mm Non Engaged Wide	6	1	5.5	3.5	8	1	TB04612W
Ti Base RS Abutment, RH 6mm GH 2mm Non Engaged Wide	6	2	5.5	3.5	9	1	TB04622W
Ti Base RS Abutment, RH 6mm GH 3mm Non Engaged Wide	6	3	5.5	3.5	10	1	TB04632W
Ti Base RS Abutment, RH 6mm GH 4mm Non Engaged Wide	6	4	5.5	3.5	11	1	TB04642W

Ti Base RS Abutment, RH 8mm GH 1mm Non Engaged Wide	8	1	5.5	3.5	10	1	TB04812W
Ti Base RS Abutment, RH 8mm GH 2mm Non Engaged Wide	8	2	5.5	3.5	11	1	TB04822W
Ti Base RS Abutment, RH 8mm GH 3mm Non Engaged Wide	8	3	5.5	3.5	12	1	TB04832W
Ti Base RS Abutment, RH 8mm GH 4mm Non Engaged Wide	8	4	5.5	3.5	13	1	TB04842W




Angular Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RS Abutment, RH 4mm GH 1mm Angular Engaged	4	1	4.5	3.5	6.65	0.5	TB04413
Ti Base RS Abutment, RH 4mm GH 2mm Angular Engaged	4	2	4.5	3.5	7.65	0.5	TB04423
Ti Base RS Abutment, RH 4mm GH 3mm Angular Engaged	4	3	4.5	3.5	8.65	0.5	TB04433
Ti Base RS Abutment, RH 4mm GH 4mm Angular Engaged	4	4	4.5	3.5	9.65	0.5	TB04443
Ti Base RS Abutment, RH 6mm GH 1mm Angular Engaged	6	1	4.5	3.5	8.65	0.5	TB04613
Ti Base RS Abutment, RH 6mm GH 2mm Angular Engaged	6	2	4.5	3.5	9.65	0.5	TB04623
Ti Base RS Abutment, RH 6mm GH 3mm Angular Engaged	6	3	4.5	3.5	10.65	0.5	TB04633
Ti Base RS Abutment, RH 6mm GH 4mm Angular Engaged	6	4	4.5	3.5	11.65	0.5	TB04643
Ti Base RS Abutment, RH 8mm GH 1mm Angular Engaged	8	1	4.5	3.5	10.65	0.5	TB04813
Ti Base RS Abutment, RH 8mm GH 2mm Angular Engaged	8	2	4.5	3.5	11.65	0.5	TB04823
Ti Base RS Abutment, RH 8mm GH 3mm Angular Engaged	8	3	4.5	3.5	12.65	0.5	TB04833
Ti Base RS Abutment, RH 8mm GH 4mm Angular Engaged	8	4	4.5	3.5	13.65	0.5	TB04843

Angular Engaged Wide	RH	GH	D1	D2	L	A	W	Catalog No.
Ti Base RS Abutment, RH 4mm GH 1mm Angular Engaged Wide	4	1	5.5	3.5	6.65	45	1	TB04413W
Ti Base RS Abutment, RH 4mm GH 2mm Angular Engaged Wide	4	2	5.5	3.5	7.65	45	1	TB04423W
Ti Base RS Abutment, RH 4mm GH 3mm Angular Engaged Wide	4	3	5.5	3.5	8.65	45	1	TB04433W
Ti Base RS Abutment, RH 4mm GH 4mm Angular Engaged Wide	4	4	5.5	3.5	9.65	45	1	TB04443W
Ti Base RS Abutment, RH 6mm GH 1mm Angular Engaged Wide	6	1	5.5	3.5	8.65	35	1	TB04613W
Ti Base RS Abutment, RH 6mm GH 2mm Angular Engaged Wide	6	2	5.5	3.5	9.65	35	1	TB04623W
Ti Base RS Abutment, RH 6mm GH 3mm Angular Engaged Wide	6	3	5.5	3.5	10.65	35	1	TB04633W
Ti Base RS Abutment, RH 6mm GH 4mm Angular Engaged Wide	6	4	5.5	3.5	11.65	35	1	TB04643W
Ti Base RS Abutment, RH 8mm GH 1mm Angular Engaged Wide	8	1	5.5	3.5	10.65	25	1	TB04813W
Ti Base RS Abutment, RH 8mm GH 2mm Angular Engaged Wide	8	2	5.5	3.5	11.65	25	1	TB04823W
Ti Base RS Abutment, RH 8mm GH 3mm Angular Engaged Wide	8	3	5.5	3.5	12.65	25	1	TB04833W
Ti Base RS Abutment, RH 8mm GH 4mm Angular Engaged Wide	8	4	5.5	3.5	13.65	25	1	TB04843W

Κωνική Σύνδεση





Conical Connection CloseFit™

Όταν προσπαθείτε να μειώσετε την μικροκινητικότητα μεταξύ οδοντικού εμφυτεύματος και κολοβώματος (abutment) και να μειώσετε κατά συνέπεια την πιθανή απώλεια οστού, θα επωφεληθείτε από το σπειροειδές σύστημα εμφυτευμάτων Adin CloseFit™, το οποίο χαρακτηρίζεται από εξαιρετικά ισχυρή, σταθερή και συμπαγή κωνική σύνδεση με εξάγωνο.

Το κωνικό σώμα του εμφυτεύματος CloseFit διαθέτει σχεδιασμό με πυκνό σπείρωμα και ενεργές σπείρες. Ο μοναδικός σχεδιασμός του εμφυτεύματος είναι κατάλληλος για άριστη διόρθωση σε διαφορετικές γωνίες στην άνω και στην κάτω γνάθο. Είναι σχεδιασμένο για υπο-οστική τοποθέτηση έως 1.0-2.0 mm.

Τα εμφυτεύματα CloseFit™ διαθέτουν την επιφάνεια Adin Osseofix™ - Πρόκειται για μία βιοσυμβατή επεξεργασία της επιφάνειας, στην οποία χρησιμοποιείται αμμοβόλψη με φωσφορικό ασβέστιο χωρίς υπολείμματα και που έχει σχεδιαστεί για την επίτευξη των επιθυμητών επιπέδων αδρότητας που χρειάζονται για άριστη οστεοενσωμάτωση.



CloseFit™

Narrow Implants

Με περισσότερα από 10 χρόνια πιστοποιημένης κλινικής εμπειρίας, αυτά τα μοναδικού σχεδιασμού μικρής διαμέτρου εμφυτεύματα των 2.75 & 3.0mm, έχουν ιδιαίτερα στενό σώμα και αυχένα έτσι ώστε να παρέχουν την τέλεια λύση για τις στενές ακρολοφίες σε ατροφικές γνάθους με εξαιρετικά αισθητικά αποτελέσματα. Η ισχυρή κωνική σύνδεση (Conical Connection) είναι σχεδιασμένη να ελαχιστοποιεί την μικροκινητικότητα.



NP CloseFit™

Ø 3.0mmD

(μικρής διαμέτρου πλατφόρμα)

* Ιδανικά σχεδιασμένο για στενές ακρολοφίες, μειώνει την ανάγκη για μοσχεύματα

* OsseoFix™

* Διπλό βήμα σπειρών

2.4mm (2x1.2)

Για γρήγορη και αποτελεσματική τοποθέτηση

UNP CloseFit™

Ø 2.75mmD

(πολύ μικρής διαμέτρου πλατφόρμα)

* Αλλαγή διαμέτρου πλατφόρμας

(Platform Switching)

* Μικρο-σπείρες:

Σχεδιασμένες για την ενίσχυση της οστικής αναγέννησης, εμποδίζουν την απώλεια του οστού και αυξάνουν την επαφή εμφυτεύματος-οστού

Τριπλό βήμα σπειρών

με πυκνότητα σπειρωμάτων

3.0mm (3x1)


Για γρήγορη και αποτελεσματική τοποθέτηση

* Μήκη

L-10mm | L-11.5mm | L-13 mm


L-16mm | L-18 mm

*The features related to NP & UNP Implants




NP CloseFit™

Narrow Platform




Recommended insertion torque up to 50 Ncm

CloseFit™ NP	Ø	L	D3	Catalog No.
	3.0	10.0	2.3	ISPNP1030
		11.5	2.2	ISPNP1130
		13.0	2.2	ISPNP1330
		16.0	2.15	ISPNP1630
		18.0	2.1	ISPNP1830

Radiographic Template NP CloseFit™ | ASD0611

Drill Sequence

Recommended drilling speed up to 1200 rpm



All measurements are in mm.


Cover Screw & Healing Abutments Recommended Torque 15(Ncm)

NP CloseFit™ Conical Cover Screw



NP0073

NP CloseFit™ Slim Healing Abutment



NP0046, GH2/L6.6


NP0047, GH3/L7.6

NP0048, GH4/L8.6

NP0049, GH5/L9.6

NP0050, GH6/L10.6

NP CloseFit™ Healing Abutment



NP0004, GH2/L6.5


NP0008, GH3/L7.5

NP0009, GH4/L8.5

NP0012, GH5/L9.5

NP0013, GH6/L10.5

NP CloseFit™ Conical Healing Abutment



NP0090, GH2/L6.9

NP0091, GH3/L7.9

NP0092, GH4/L8.9


NP0093, GH5/L9.9

NP0094, GH6/L10.9




NP™ Αποτύπωση

Συνιστώμενη ροπή 15(Ncm)





Τα εξαρτήματα της εταιρείας μας για λήψη αποτυπωμάτων όλων των ειδών των αποκαταστάσεων μπορούν επιτυχώς να χρησιμοποιηθούν για ψηφιακά ή συμβατικά πρωτόκολλα είτε σε επίπεδο εμφυτεύματος είτε σε επίπεδο κολοβώματος/διαβλενογόνιου στηρίγματος (abutment).

Το ευρύ φάσμα λύσεων και επιλογών που διαθέτουμε επιτρέπει την πραγματοποίηση της μελέτης της αποκατάστασης με ακρίβεια και ευκολία, είτε πρόκειται για ένα ή περισσότερα δόντια, για γέφυρα ή για ολική αποκατάσταση.




Transfers		L	Ø	D1	H	GH	RH	Catalog No.
	NP Slim Closed Tray Transfer	15.2	3.2	2.5	13.0	-	-	NP5113
	NP Closed Tray Transfer	15.2	4.3	2.5	13.0	-	-	NP5213
	NP Slim Open Tray Transfer	18.0	5.0	2.5	14.0	-	-	NP5614
	NP Open Tray Transfer	18.0	6.0	2.5	14.0	-	-	NP5514
 	NP Scan Body	9.2	-	2.5	7.0	-	-	NP0088
		12.2	-	2.5	10.0	-	-	NP0089

Analog/Digital Analog		L	Ø	D1	H	GH	RH	Catalog No.
	NP Implant Analog	12.6	3.0	2.5	-	-	-	NP0007
	NP digital analog 15(Ncm)	10.0	3.55	3.4	-	-	-	NP1000



Συγκολλούμενες αποκαταστάσεις

Συνιστώμενη ροπή 35(Ncm)





Abutments	L	Ø	D1	D2	H	GH	RH	Catalog No.
 NP Straight Slim Abutment No End Line	11.0	3.5	2.5	3.0	8.8	3.2	5.7	NP0010
 NP Straight Abutment	9.7	4.4	2.5	3.0	7.5	1.0	6.5	NP0019
	10.7	4.4	2.5	3.0	8.5	2.0	6.5	NP0011
	11.7	4.4	2.5	3.0	9.5	3.0	6.5	NP0064
 NP Angled Abutment 15° No End Line	11.7	4.3	2.5	1.9	9.5	1.4	8.2	NP0018
 NP Angled Abutment 15°	9.7	4.8	2.5	2.4	7.5	1.0	6.5	NP0015
	10.7	4.8	2.5	2.4	8.5	2.0	6.5	NP0026
	11.7	4.8	2.5	2.4	9.5	3.0	6.5	NP0063
 NP Angled Abutment 25° No End Line	10.0	3.8	2.5	1.9	7.8	1.6	6.5	NP0025
 NP Engaging Temporary Abutment	11.0	3.7	2.5	3.2	8.8	0.7	8.0	NP0043
 NP Non-Engaging Temporary Abutment	11.0	3.7	2.5	3.2	8.8	0.7	8.0	NP0044
 NP Engaging Plastic Cylinder Abutment (Casting)	11.0	3.7	2.5	3.0	8.8	0.7	8.0	NP0045
 NP Engaging Titanium / Plastic Abutment (Casting)	13.2	4.2	2.5	4.2	11.0	1.0	10.0	NP3095
	13.2	4.2	2.5	4.2	11.0	1.0	10.0	NP3097



TMA™ - Multi Unit Αποκαταστάσεις με γέφυρες

Συνιστώμενη ροπή 35(Ncm)



Το σύστημα TMA™ (διαβλενογόνο κολόβωμα) της εταιρείας μας ενδείκνυται για κοκλιούμενες αποκαταστάσεις με γέφυρες και μπορεί να χρησιμοποιηθεί συνδυαστικά με σχεδιασμό σκελετού σε επίπεδο εμφυτεύματος.

Το σύστημα TMA™ χρησιμοποιείται για την ανύψωση της πλατφόρμας έδρασης της αποκατάστασης όταν η αποκατάσταση σε επίπεδο εμφυτεύματος δεν ενδείκνυται, είτε για λόγους πρακτικούς εξαιτίας του βάθους είτε εξαιτίας της γωνίας του εμφυτεύματος.

Είναι σχεδιασμένο για να επιτρέπει καλύτερη πρόσβαση στην αποκατάσταση όταν χρησιμοποιούνται εμφυτεύματα με αποκλίνουσες γωνίες για αποκαταστάσεις οδοντικών τόξων με ολική ή μερική νωδότητα, ειδικά όταν χρησιμοποιούνται γωνιώδη εμφυτεύματα και η τεχνική all-on-x για αποκατάσταση πλήρους τόξου.

Το σύστημα abutment TMA™ είναι διαθέσιμο σε ευθύ ή γωνιώδες (17°,30°,45°) περιλαμβάνει το εσωτερικό εξάγωνο (Internal Hex) ως οδηγό και διαθέτει επιλογή για τα ύψη του κολάρου. Τα κολοβώματα/διαβλενογόνα στηρίγματα (abutments) διατίθενται με μικρές λαβές για εύκολο χειρισμό και τοποθέτηση.


TMA		L	Ø	D1	D2	H	GH	RH	Catalog No.
	NP Straight Trans Mucosal Abutment	4.2	4.9	2.5	-	2.0	1.0	2.10	NP0032
		5.2	4.9	2.5	-	3.0	2.0	2.10	NP0033
		6.2	4.9	2.5	-	4.0	3.0	2.10	NP0034
		7.2	4.9	2.5	-	5.0	4.0	2.10	NP3729
		8.2	4.9	2.5	-	6.0	5.0	2.10	NP3730
	NP Angled Trans Mucosal Abutment 17°	6.8	4.9	2.5	-	-	2.8	2.15	NP0035
	NP Angled Trans Mucosal Abutment 17°	7.9	4.9	2.5	-	-	3.9	2.15	NP0038
	NP Angled Trans Mucosal Abutment 30°	6.9	4.9	2.5	-	-	3.5	2.15	NP0036
	NP Angled Trans Mucosal Abutment 30°	8.1	4.9	2.5	-	-	4.9	2.15	NP0037


TMA components		L	∅	D1	D2	H	GH	RH	Catalog No.
	TMA Healing Cap	5.5	4.9	-	3.5	-	-	-	RS5005
		7	4.9	-	3.5	-	-	-	RS5003
	TMA Impression Coping Open Tray	11.0	4.9	-	3.1	-	-	-	RS5006
	TMA Closed Tray Transfer	8.0	4.9	-	4.0	-	-	-	RS5011
	TMA Scan Body	6	4.9	4.9	3.8	4.9	-	-	TM0006
		9	4.9	4.9	3.8	4.9	-	-	TM0009
	TMA Titanium Temporary Cylinder	12.0	4.9	-	3.5	-	1.5	10.5	RS4900
	TMA Cementing Cone	4.9	4.9	-	2.9	-	1.5	3.4	TM0010
	TMA Plastic Casting Sleeve w/ Prosthetic Screw	12.0	4.9	-	3.3	-	1.5	10.5	RS5001
	TMA Abutment Replica	16.8	4.9	-	1.7	-	-	-	RS5004
	TMA Digital Model Replica Recommended torque 15(Ncm)	12	4.9	-	3.8	-	-	-	RS1001



Single TMA

NP CloseFit™ - Conical Connection Platform | | STMA Abutments



NP CloseFit™ - Conical Connection Platform STMA Abutments		L	D1	Ø	GH	RH	Catalog No.
	NP Straight Single TMA Abutment 1mm	4.2	2.5	4.9	1.0	2.1	NP0032S
	NP Straight Single TMA Abutment 2mm	5.2	2.5	4.9	2.0	2.1	NP0033S
	NP Straight Single TMA Abutment 3mm	6.2	2.5	4.9	3.0	2.1	NP0034S
	NP Straight Single TMA Abutment 4 mm	7.2	2.5	4.9	4.0	2.1	NP3729S
	NP Straight Single TMA Abutment 5 mm	8.2	2.5	4.9	5.0	2.1	NP3730S


	NP Angled Single TMA Abutment 17° 3mm	6.8	2.5	4.9	2.8	2.15	NP0035S
	NP Angled Single TMA Abutment 30° 3.5mm	6.9	2.5	4.9	3.5	2.15	NP0036S
	NP Angled Single TMA Abutment 30° 5mm	8.1	2.5	4.9	4.9	2.15	NP0037S
	NP Angled Single TMA Abutment 17° 4mm	7.9	2.5	4.9	3.9	2.15	NP0038S








Αποκαταστάσεις με επένθετες οδοντοστοιχίες

Συνιστώμενη ροπή 35(Ncm)



Ball Attachment		L	Ø	D1	D2	H	GH	RH	Catalog No.
	NP Ball Attachment	8.8	2.9	2.5	2.5	4.1	0.5	3.5	NP0020
		9.2	2.9	2.5	2.5	4.5	1.0	3.5	NP0021
		10.2	2.9	2.5	2.5	5.5	2.0	3.5	NP0022
		11.2	2.9	2.5	2.5	6.5	3.0	3.5	NP0023
		12.2	2.9	2.5	2.5	7.5	4.0	3.5	NP0024

Ball Attachment caps		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Plastic Ball Cap White (Nylon)	2.60	4.10	-	3.60	-	-	-	RS2660
	Plastic Ball Cap Pink Soft (Nylon)	2.60	4.10	-	3.60	-	-	-	RS2662
	Titanium Ball Cap	2.90	4.70	-	4.70	-	-	-	RS2670
	Stainless Steel Ball Cap	2.90	4.70	-	4.70	-	-	-	RS2675SS

Ball Attachment		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Ball Attachment Abutment Replica	16.60	4.00	-	2.5	-	0.80	2.7	RS5740

Grip™ Abutments



NP™ | Conical Connection

Narrow platform




Grip NP Abutment 1mm	NP0051
Grip NP Abutment 2mm	NP0052
Grip NP Abutment 3mm	NP0053
Grip NP Abutment 4mm	NP0054
Grip NP Abutment 5mm	NP0055
Grip NP Abutment 6mm	NP0056



Κοχλιούμενες αποκαταστάσεις με χυτεύσιμα κολβώματα

Συνιστώμενη ροπή 35(Ncm)



Flat Connection	L	Ø	D1	D2	H	GH	RH	Catalog No.
	7.3	4.5	2.5	-	2.0	2.0	-	NP0030
NP Flat Connection Abutment	8.8	4.5	2.5	-	2.0	4.0	-	NP0031
	11.5	4.5	-	3.9	11.1	0.4	10.7	FC5515
	12.6	4.5	-	3.4	-	-	-	FC5737
	13.6	4.6	-	3.0	13.6	0.1	13.5	FC6011
	5.0	2.5	-	-	-	-	-	FC6015
	3.8	4.5	-	3.1	3.4	0.6	2.8	FC6013
	17.0	2.5	-	-	-	-	-	FC6017
	3.8	4.5	-	3.2	3.4	0.6	2.8	FC6018
	11.0	4.5	-	4.2	-	-	10.2	FC5512



Screws		L	Ø	Catalog No.
	NP Abutment Screw	7.9	2.0	NP0001
	TMA Prosthetic Screw 15(Ncm)	4.1	2.1	RS3404
	NP Retaining Screw for Angled TMA	7.1	2.0	NP0042
	NP Retaining Screw for TMA 1mm	8.0	3.1	NP0039
	NP Retaining Screw for TMA 2mm	9.0	3.1	NP0040
	NP Retaining Screw for TMA 3mm	10.0	3.1	NP0041
	NP Retaining Screw for TMA 4mm	11.0	3.1	NP3409
	NP Retaining Screw for TMA 5mm	12.0	3.1	NP3412
	NP Open Tray Transfer Screw	28.0	3.1	NP5014
	NP Closed Tray Transfer Screw	20.0	2.8	NP5127
	NP Retrieval Screw for Abutments	13.4	2.0	NP0014



Hand & Torque Drivers

Recommended Torque 35(Ncm)



Star Hand Driver
23.4mm | RP0064

*For Angeld TMA/TMA prosthetic screw



Star Hand Driver
23.4mm | RP0004

*For Angeld TMA/TMA prosthetic screw



TMA/FC Female
Hand Hex Driver
22.4mm | RS6193

*For straight TMA/Flat connection



TMA/FC Female
Hand Hex Driver
28.4mm | RS6191

*For straight TMA/Flat connection



Wrench Ratchet
Surgical Instruments
Handle 16.7mm | RA0050



UNP/NP Abutment
insertion tool 25.9mm | UNP1001



NP 2mm Hex
Torque Driver
17mm | NP0006



NP 2mm Hex
Torque Driver
27mm | NP0005



Star Torque Driver
20.4mm | RP0065

*For Angeld TMA/TMA prosthetic screw



Star Torque
Driver
25.4mm | RP0005

*For Angeld TMA/TMA prosthetic screw



Torque Driver for
Ball Attachment
24.4mm | RS6090



TMA/FC Hex Torque
Driver 20mm | RS6197

*For straight TMA/Flat connection



TMA/FC Hex
Torque Driver
25mm | RS6196

*For straight TMA/Flat connection



Handpiece Drivers

Recommended Torque 35(Ncm)



NP 2mm Hex Handpiece Adapter 23.7mm

NP0068



NP 2mm Hex Handpiece Adapter 27.7mm

NP0071



NP 2mm Hex Handpiece Adapter 36mm

NP0074



NP 2mm Hex Handpiece Adapter 20mm

NP0062



NP 2mm Hex Handpiece Adapter 25mm

NP0072



Star Handpiece Driver 25mm

RP0018

*For Angeld TMA/TMA prosthetic screw



Star Handpiece Drive 30mm

RP0019

*For Angeld TMA/TMA prosthetic screw



TMA/FC Hex Handpiece Adapter 20mm

RS6194

*For straight TMA/Flat connection




TMA/FC Hex Handpiece Adapter 25mm

RS6195A

*For straight TMA/Flat connection





UNP CloseFit™

Ultra Narrow Platform



Recommended insertion torque up to 50 Ncm


CloseFit™ UNP	Ø	L	D3	Catalog No.
	2.75	10.00	2.00	ISPUNP1027
		11.50	2.00	ISPUNP1127
		13.00	2.00	ISPUNP1327
		16.00	1.90	ISPUNP1627
		18.00	1.90	ISPUNP1827

Radiographic Template UNP CloseFit™ | ASD0615

Drill Sequence

Recommended drilling speed up to 1200 rpm

Implant Diameter ø2.75



All measurements are in mm.

*Products may be ordered separately as an addition to the kit

Cover Screw & Healing Abutments Recommended Torque 15(Ncm)

UNP CloseFit™ Conical Cover Screw



UNP0073

UNP CloseFit™ Slim Healing Abutment



UNP0046, GH2/L6.9

UNP0047, GH3/L7.9

UNP0048, GH4/L8.9

UNP0049, GH5/L9.9

UNP0050, GH6/L10.9

UNP CloseFit™ Healing Abutment



UNP0004, GH2/L7.1

UNP0008, GH3/L8.1

UNP0009, GH4/L9.1

UNP0012, GH5/L10.1

UNP0013, GH6/L11.1

UNP CloseFit™ Conical Healing Abutment



UNP0090, GH2/L6.9

UNP0091, GH3/L7.9

UNP0092, GH4/L8.9


UNP0093, GH5/L9.9





UNP0094, GH6/L10.9





UNP™ Αποτύπωση

Συνιστώμενη ροπή 15(Ncm)




Transfers		L	∅	D1	H	GH	RH	Catalog No.
	UNP Slim Open Tray Transfer	18.30	5.00	2.27	14.00	-	-	UNP5614
	UNP Open Tray Transfer	18.30	6.00	2.27	14.00	-	-	UNP5514
	UNP Slim Closed Tray Transfer	15.30	3.20	2.27	13.00	-	-	UNP5113
	UNP Closed Tray Transfer	15.30	4.00	2.27	13.00	-	-	UNP5213
 	UNP ScanBody	9.3	-	2.27	7.00	-	-	UNP0088
		12.3	-	2.27	10.00	-	-	UNP0089

Analog/Digital Analog		L	∅	D1	H	GH	RH	Catalog No.
	UNP Implant Analog	12.60	2.75	2.27	-	-	-	UNP0007
	UNP Digital analog 15(Ncm)	10.00	3.55	2.27	-	-	-	UNP1000



Cement Retained Abutments

Recommended Torque 25(Ncm)





Abutments	L	Ø	D1	D2	H	GH	RH	Catalog No.
 UNP Straight Slim Abutment No End Line	11.00	3.50	2.27	2.89	8.70	1.00	7.30	UNP0010
 UNP Straight Abutment	9.85	4.20	2.27	3.00	7.55	1.00	6.50	UNP0019
	10.85	4.20	2.27	3.00	8.55	2.00	6.50	UNP0011
	11.85	4.20	2.27	3.00	9.55	3.00	6.50	UNP0064
 UNP Angled Abutment 15° No End Line	10.00	3.50	2.27	1.60	7.70	1.00	6.10	UNP0018
 UNP Angled Abutment 15°	9.85	4.20	2.27	2.40	7.55	1.00	6.50	UNP0063
	10.85	4.20	2.27	2.40	8.55	2.00	6.50	UNP0015
	11.85	4.20	2.27	2.40	9.55	3.00	6.50	UNP0026
 UNP Esthetic Abutment	10.30	4.00	2.27	2.80	10.00	1.00	7.00	UNP0080
	11.30	4.00	2.27	2.80	11.00	2.00	7.00	UNP0081
	12.30	4.00	2.27	2.80	12.00	3.00	7.00	UNP0082
 UNP One Piece Screw In Abutment	15.10	3.50	2.27	2.85	12.80	1.10	9.30	UNP3812
	16.00	3.50	2.27	2.85	13.70	2.00	9.30	UNP3813
	17.00	3.50	2.27	2.85	14.70	3.00	9.30	UNP3814
 UNP Engaging Temporary Abutment	12.30	3.70	2.27	3.20	10.00	2.00	8.00	UNP0043
 UNP Non Engaging Temporary Abutment	12.30	3.70	2.27	3.20	10.00	2.00	8.00	UNP0044
 UNP Engaging Plastic Cylinder Abutment	12.30	3.70	2.27	3.00	10.00	2.00	8.00	UNP0045








Overdenture Restoration





Recommended Torque 25(Ncm)



Overdentures		L	Ø	D1	D2	H	GH	RH	Catalog No.
	UNP CloseFit™ Ball Attachment	7.75	2.40	2.27	2.50	3.00	0.50	2.45	UNP0020
		8.25	2.40	2.27	2.50	3.50	1.00	2.45	UNP0021
		9.25	2.40	2.27	2.50	4.50	2.00	2.45	UNP0022
		10.25	2.40	2.27	2.50	5.50	3.00	2.45	UNP0023
		11.25	2.40	2.27	2.50	6.50	4.00	2.45	UNP0024
		12.25	2.40	2.27	2.50	7.50	5.00	2.45	UNP0025

Caps		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Plastic Ball Cap White (Nylon)	2.60	4.10	-	3.60	-	-	-	RS2660
	Plastic Ball Cap Pink Soft (Nylon)	2.60	4.10	-	3.60	-	-	-	RS2662
	Titanium Ball Cap	2.90	4.70	-	4.70	-	-	-	RS2670
	Stainless Steel Ball Cap	2.90	4.70	-	4.70	-	-	-	RS2675SS

Replica		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Ball Attachment Abutment Replica	16.60	4.00	2.5	-	-	0.80	2.7	RS5740

		L	Ø	Catalog No.
	UNP Abutment Screw	7.90	2.00	UNP0001
	UNP Closed Tray Transfer Screw	20.00	2.80	UNP5127
	UNP Open Tray Transfer Screw	28.00	3.10	UNP5014
	NP Retrieval Screw for Abutments	13.4	2.00	NP0014





Hand, Torque Drivers & Handpiece Drivers

Recommended Torque 25(Ncm)



Star Hand Driver -
Short 23.40L

RP0064



Star Hand Driver -
Long 28.40L

RP0004



Torque Driver for
Ball Attachment
24.4L

RS6090



Star Torque
Driver - Short 20.4L

RP0065



Star Torque
Driver-Long 25.40L

RP0005



Wrench Ratchet
Surgical Instruments
Handle 16.70L

RA0050



UNP 2mm Hex
Handpiece Adapter
Short 23.60L

UNP0068



UNP 2mm Hex
Handpiece Adapter
Medium 27.20L

UNP0071



UNP 2mm Hex
Handpiece Adapter
Long 36.00L

UNP0074



Star Handpiece
Driver - Short 25.00L

RP0018



Star Handpiece
Driver - Long 30.00L

RP0019



UNP/NP Abutment
insertion tool 25.9L

UNP1001




CloseFit™ Regular & Wide Implants

Η ισχυρή κωνική σύνδεση CloseFit™ Conical Connection είναι σχεδιασμένη για άριστη έδραση ενώ παράλληλα μειώνει και κυριολεκτικά εξουδετερώνει την μικροκινητικότητα.

Κατάλληλο για άμεση λειτουργία/φόρτιση σε όλους τους τύπους οστού.

Τα εμφυτεύματα CloseFit™ είναι σχεδιασμένα για χρήση σε όλες τις ενδείξεις και σε όλες τις περιοχές της άνω και κάτω γνάθου.

Το κωνικό τμήμα του κολάρου είναι σχεδιασμένο να μειώνει την πίεση και να επιτρέπει την ανάπτυξη υγιούς φλοιώδους οστού γύρω από το κολάρο του εμφυτεύματος.



CloseFit™ RP

3.5mmD

Κανονικής διαμέτρου πλατφόρμα

* Ενσωματωμένη αλλαγή
διαμέτρου πλατφόρμας
(Platform Switching)

* Ελάχιστη επεμβατική
τεχνική

* Osseofix™

L-8mm | L-10 mm | L-11.5 mm
L-13 mm | L-16 mm | L-18 mm

CloseFit™ WP

4.3/5.0mmD

Μεγάλης διαμέτρου πλατφόρμα

* Κωνικό αυχενικό
κολάρο


* **Μίκρο-σπείρες:**

Σχεδιασμένες για την ενίσχυση
της οστικής αναγέννησης,
εμποδίζουν την απώλεια
του οστού και αυξάνουν την
επαφή εμφυτεύματος
- οστού

* Ιδιότητα οστεο-συμπύκνωσης


* Αυτό-κοχλιούμενο & με
ενεργή κοπή

* Τα χαρακτηριστικά αφορούν τα εμφυτεύματα WP & RP




RP CloseFit™

Regular Platform



Recommended insertion torque up to 50 Ncm

CloseFit™ RP	Ø	L	D3	Catalog No.
	3.5	8	2.6	ISPX0835
		10	2.55	ISPX1035
		11.5	2.5	ISPX1135
		13	2.5	ISPX1335
		15	2.5	ISPX1535
		18	2.4	ISPX1835

Radiographic Template RP CloseFit™ | ASD0612




RP™ Αποτύπωση

Συνιστώμενη ροπή 15(Ncm)





Τα εξαρτήματα της εταιρείας μας για λήψη αποτυπωμάτων όλων των ειδών των αποκαταστάσεων μπορούν επιτυχώς να χρησιμοποιηθούν για ψηφιακά ή συμβατικά πρωτόκολλα είτε σε επίπεδο εμφυτεύματος είτε σε επίπεδο κολοβώματος/ διαβλενογόνιου στηρίγματος (abutment).

Το ευρύ φάσμα λύσεων και επιλογών που διαθέτουμε επιτρέπει την πραγματοποίηση της μελέτης της αποκατάστασης με ακρίβεια και ευκολία, είτε πρόκειται για ένα ή περισσότερα δόντια, για γέφυρα ή για ολική αποκατάσταση.




Transfers		L	∅	D1	H	GH	RH	Catalog No.
	RP Slim Closed Tray Transfer - Short	11.2	3.6	2.9	9.0	-	-	RP5109
	RP Slim Closed Tray Transfer - Long	15.2	3.6	2.9	13.0	-	-	RP5113
	RP Closed Tray Transfer - Short	11.20	4.25	2.90	9.0	-	-	RP5209
	RP Closed Tray Transfer - Long	15.20	4.25	2.90	13.0	-	-	RP5213
	RP Slim Open Tray Transfer - Short	14.20	5.00	2.90	10.0	-	-	RP5610
	RP Slim Open Tray Transfer - Long	18.20	5.00	2.90	14.0	-	-	RP5614
	RP Open Tray Transfer - Short	14.20	5.00	2.90	10.0	-	-	RP5510
	RP Open Tray Transfer - Long	18.20	5.00	2.90	14.0	-	-	RP5514
	RP Scan Body	9.2	-	2.9	7.0	-	-	RP0088
		12.2	-	2.9	10.0	-	-	RP0089

Analog / Digital Analog		L	∅	D1	H	GH	RH	Catalog No.
	RP implant analog	12.60	3.55	2.90	-	-	-	RP0007
	RP Digital Model Analog 15(Ncm)	10.00	3.55	2.90	-	-	-	RP1000



Συγκολλούμενες αποκαταστάσεις

Συνιστώμενη ροπή 35(Ncm)




Abutments		L	Ø	D1	D2	H	GH	RH	Catalog No.
	RP Straight Slim Abutment No End Line	11.00	4.00	2.90	2.95	8.80	2.80	6.00	RP0020
	RP Esthetic Straight Abutment	9.70	4.40	2.90	3.00	7.50	1.00	6.50	RP0012
		10.70	4.40	2.90	3.00	8.50	2.00	6.50	RP0011
		11.70	4.40	2.90	3.00	9.50	3.00	6.50	RP0010
	RP Esthetic Angled Abutment 15°	9.70	4.40	2.90	2.34	7.50	1.00	6.50	RP0013
		10.70	4.40	2.90	2.34	8.50	2.00	6.50	RP0014
		11.70	4.40	2.90	2.34	9.70	3.00	6.50	RP0015
	RP Engaging Temporary Abutment	12.65	3.70	2.90	3.40	10.45	1.00	9.45	RP0043
	RP Non Engaging Temporary Abutment	12.65	3.70	2.90	3.40	10.45	1.00	9.45	RP0044
	RP Engaging Plastic Cylinder Abutment (Casting)	12.70	3.70	2.90	3.00	10.50	1.00	9.50	RP0045
	RP Engaging Titanium/Plastic Abutment (Casting)	13.70	4.70	2.90	4.70	11.50	1.50	10.00	RP3095
	RP Non-Engaging Titanium/Plastic Abutment (Casting)	13.70	4.70	2.90	4.70	11.50	1.36	10.00	RP3097



TMA™ - Multi Unit

Συνιστώμενη ροπή 35(Ncm)



Το σύστημα TMA™ (διαβλενογόγιο κολόβωμα) της εταιρείας μας ενδείκνυται για κοχλιούμενες αποκαταστάσεις με γέφυρες και μπορεί να χρησιμοποιηθεί συνδυαστικά με σχεδιασμό σκελετού σε επίπεδο εμφυτεύματος.

Το σύστημα TMA™ χρησιμοποιείται για την ανύψωση της πλατφόρμας έδρασης της αποκατάστασης όταν η αποκατάσταση σε επίπεδο εμφυτεύματος δεν ενδείκνυται, είτε για λόγους πρακτικούς εξαιτίας του βάθους είτε εξαιτίας της γωνίας του εμφυτεύματος.

Είναι σχεδιασμένο για να επιτρέπει καλύτερη πρόσβαση στην αποκατάσταση όταν χρησιμοποιούνται εμφυτεύματα με αποκλίνουσες γωνίες για αποκαταστάσεις οδοντικών τόξων με ολική ή μερική νωδότητα, ειδικά όταν χρησιμοποιούνται γωνιώδη εμφυτεύματα και η τεχνική all-on-x για αποκατάσταση πλήρους τόξου.

Το σύστημα abutment TMA™ είναι διαθέσιμο σε ευθύ ή γωνιώδες (17°,30°,45°) περιλαμβάνει το εσωτερικό εξάγωνο (Internal Hex) ως οδηγό και διαθέτει επιλογή για τα ύψη του κολάρου. Τα κολοβώματα/διαβλενογόγια στηρίγματα (abutments) διατίθενται με μικρές λαβές για εύκολο χειρισμό και τοποθέτηση.



TMA		L	Ø	D1	H	GH	RH	Catalog No.
	RP Straight Trans Mucosal Abutment	4.20	4.90	2.90	2.00	1.00	2.10	RP0032
		5.20	4.90	2.90	3.00	2.00	2.10	RP0033
		6.20	4.90	2.90	4.00	3.00	2.10	RP0034
		7.20	4.90	2.90	5.00	4.00	2.10	RP3729
		8.20	4.90	2.90	6.00	5.00	2.10	RP3730
	RP Angled Trans Mucosal Abutment 17° 2.5mm	6.62	4.90	2.90	-	2.58	2.15	RP3734
	RP Angled Trans Mucosal Abutment 17° 3.5mm	7.65	4.90	2.90	-	3.68	2.15	RP3737
	RP Angled Trans Mucosal Abutment 30° 3mm	6.97	4.90	2.90	-	3.65	2.15	RP3735
	RP Angled Trans Mucosal Abutment 30° 4mm°	8.00	4.90	2.90	-	4.00	2.15	RP3738


TMA components		L	∅	D1	D2	H	GH	RH	Catalog No.
	TMA Healing Cap	5.5	4.9	-	3.5	-	-	-	RS5005
		7	4.9	-	3.5	-	-	-	RS5003
	TMA Impression Coping Open Tray	11.0	4.9	-	3.1	-	-	-	RS5006
	TMA Closed Tray Transfer	8.0	4.9	-	4.0	-	-	-	RS5011
	TMA Scan Body	6	4.9	4.9	3.8	-	-	-	TM0006
		9	4.9	4.9	3.8	-	-	-	TM0009
	TMA Titanium Temporary Cylinder	12.0	4.9	-	3.5	-	1.5	10.5	RS4900
	TMA Cementing Cone	4.9	4.9	-	2.9	-	1.5	3.4	TM0010
	TMA Plastic Casting Sleeve w/ Prosthetic Screw	12.0	4.9	-	3.3	-	1.5	10.5	RS5001
	TMA Abutment Replica	16.8	4.9	-	1.7	-	-	-	RS5004
	TMA Digital Model Replica Recommended torque 15(Ncm)	12.0	4.9	-	3.8	-	-	-	RS1001




Single TMA

RP CloseFit™ - Conical Connection Platform | STMA Abutments




RP CloseFit™ - Conical Connection Platform STMA Abutments		L	D1	Ø	GH	RH	Catalog No.
	RP Straight Single TMA Abutment 1mm	4.2	2.9	4.9	1.0	2.1	RP0032S
	RP Straight Single TMA Abutment 2mm	5.2	2.9	4.9	2.0	2.1	RP0033S
	RP Straight Single TMA Abutment 3mm	6.2	2.9	4.9	3.0	2.1	RP0034S
	RP Straight Single TMA Abutment 4 mm	7.2	2.9	4.9	4.0	2.1	RP3729S
	RP Straight Single TMA Abutment 5 mm	8.2	2.9	4.9	5.0	2.1	RP3730S


	RP Angled Single TMA Abutment 17° 2.5mm	6.6	2.9	4.9	2.6	2.15	RP3734S
	RP Angled Single TMA Abutment 30° 3mm	7.0	2.9	4.9	3.7	2.15	RP3735S
	RP Angled Single TMA Abutment 17° 3.5mm	7.7	2.9	4.9	3.7	2.15	RP3737S
	RP Angled Single TMA Abutment 30° 4mm	8.0	2.9	4.9	4.0	2.15	RP3738S








Overdenture Restoration

Recommended Torque 35(Ncm)



Ball Attachment		L	Ø	D1	D2	H	GH	RH	Catalog No.
	RP Ball Attachment	8.86	3.10	2.90	2.50	4.00	0.50	3.52	RP0051
		9.32	3.10	2.90	2.50	4.50	1.00	3.52	RP0052
		10.32	3.10	2.90	2.50	5.50	2.00	3.52	RP0053
		11.32	3.10	2.90	2.50	6.50	3.00	3.52	RP0054
		12.32	3.10	2.90	2.50	7.50	4.00	3.52	RP0055
		13.32	3.10	2.90	2.50	8.50	5.00	3.52	RP0056

Ball Attachment caps		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Plastic Ball Cap White (Nylon)	2.60	4.10	-	3.60	-	-	-	RS2660
	Plastic Ball Cap Pink Soft (Nylon)	2.60	4.10	-	3.60	-	-	-	RS2662
	Titanium Ball Cap	2.90	4.70	-	4.70	-	-	-	RS2670
	Stainless Steel Ball Cap	2.90	4.70	-	4.70	-	-	-	RS2675SS

Ball Attachment		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Ball Attachment Abutment Replica	16.60	4.00	-	2.5	-	0.80	2.7	RS5740

Grip™ Abutments



RP™ | Conical Connection

Regular platform




Grip RP Abutment 1mm	RP0038
Grip RP Abutment 2mm	RP0057
Grip RP Abutment 3mm	RP0058
Grip RP Abutment 4mm	RP0059
Grip RP Abutment 5mm	RP0060
Grip RP Abutment 6mm	RP0061
















Screw - Retained

Recommended Torque 35(Ncm)



Flat Connection	L	Ø	D1	D2	H	GH	RH	Catalog No.
	6.80	4.50	2.90	-	2.04	2.04	-	RP0030
RP Flat Connection Abutment	8.80	4.50	2.90	-	4.04	4.04	-	RP0031
	11.5	4.5	-	3.9	11.1	0.4	10.7	FC5515
	12.6	4.5	-	3.4	-	-	-	FC5737
	13.6	4.6	-	3.0	13.6	0.1	13.5	FC6011
	5.0	2.5	-	-	-	-	-	FC6015
	3.8	4.5	-	3.1	3.4	0.6	2.8	FC6013
	17.0	2.5	-	-	-	-	-	FC6017
	3.8	4.5	-	3.2	3.4	0.6	2.8	FC6018
	11.0	4.5	-	4.2	-	-	10.2	FC5512

RP CloseFit™ Screws		L	Ø	Catalog No.
	RP Abutment Screw	7.20	2.20	RP0001
	TMA Prosthetic Screw 15(Ncm)	4.1	2.1	RS3404
	RP Retaining Screw for TMA 1mm	8.00	3.10	RP0039
	RP Retaining Screw for TMA 2mm	9.00	3.10	RP0040
	RP Retaining Screw for TMA 3mm	10.00	3.10	RP0041
	RP Retaining Screw for TMA 4mm	11.00	3.10	RP3409
	RP Retaining Screw for TMA 5mm	12.00	3.10	RP3412
	RP Retaining Screw for Angled TMA	7.00	2.35	RP3403
	RP Open Tray Transfer Screw - Short	24.00	3.10	RP5010
	RP Open Tray Transfer Screw - Long	28.00	3.10	RP5014
	RP Closed Tray Transfer Screw - Short	16.00	2.80	RP5126
	RP Closed Tray Transfer Screw - Long	20.00	2.80	RP5127
	RP Retrieval Screw for Abutments	12.60	2.25	RP3401



Hand & Torque Drivers



Star Hand Driver Short 23.4L RP0064

*For Angeld TMA/TMA prosthetic screw



Star Hand Driver Long 23.4L RP0004

*For Angeld TMA/TMA prosthetic screw



TMA/FC Female Hand Hex Driver - Short 22.4L RS6193

*For straight TMA/Flat connection



TMA/FC Female Hand Hex Driver Long 28.4L RS6191

*For straight TMA/Flat connection



RP 2.2mm Hex Torque Driver Short 20.0L RP0067



RP 2.2mm Hex Torque Driver-Long 25.0L RP0066



Star Torque Driver Short 20.40L RP0065

*For Angeld TMA/TMA prosthetic screw



Star Torque Driver - Long 25.4L RP0005

*For Angeld TMA/TMA prosthetic screw



TMA/FC Hex Torque Driver - Short 20.0L RS6197

*For straight TMA/Flat connection



TMA/FC Hex Torque Driver Long 25.0L RS6196

*For straight TMA/Flat connection



Torque Driver for Ball Attachment 16.7L RS6090



Wrench Ratchet Surgical Instruments Handle 16.70L RA0050



Handpiece Drivers



RP 2.25mm Hex
Handpiece Adapter
Short 23.7L

RP0068



RP 2.25mm Hex
Handpiece Adapter
Medium 27.6L

RP0071



RP 2.25mm Hex
Handpiece Adapter
Long 36.0L

RP0074



Star Handpiece
Driver - Short 25.0L

RP0018



Star Handpiece
Driver - Long 30.0L

RP0019



RP Handpiece
Hex Adapter - Short 20.0L

RP0062

*For Angeld TMA/TMA prosthetic screw

*For Angeld TMA/TMA prosthetic screw



RP Handpiece Hex
Adapter - Long 25.0L

RP0072



TMA/FC Hex
Handpiece
Adapter - Short 20.0L

RS6194

*For straight TMA/Flat connection




TMA/FC Hex Handpiece
Adapter - Long 25.0L

RS6195A


*For straight TMA/Flat connection





WP CloseFit™

Wide Platform




Recommended insertion torque up to 50 Ncm

CloseFit™ WP	Ø	L	D3	Catalog No.
	4.3	8.0	3.3	ISPX0843
		10.0	3.2	ISPX1043
		11.5	3.1	ISPX1143
		13.0	3.0	ISPX1343
		15.0	2.8	ISPX1543
		18.0	2.6	ISPX1843
	5	8.0	3.9	ISPX0849
		10.0	3.9	ISPX1049
		11.5	3.8	ISPX1149
		13.0	3.7	ISPX1349
		15.0	3.5	ISPX1549
		18.0	3.3	ISPX1849

Radiographic Template RP CloseFit™ | ASD0612

Drill Sequence Recommended drilling speed up to 1200 rpm



You may use Tri-Step drill instead of ø2, ø2.8 and ø3.2 drills in sequence.

Cover Screw & Healing Abutments Recommended Torque 15(Ncm)

WP CloseFit™ Conical Cover Screw




WP0073

WP CloseFit™ Slim Healing Abutment



WP0046, GH2/L7.3
 WP0047, GH3/L8.3
 WP0048, GH4/L9.3
 WP0049, GH5/L10.3
 WP0050, GH6/L11.3

WP CloseFit™ Healing Abutment



WP0022, GH2/L7.3
 WP0023, GH3/L8.3
 WP0024, GH4/L9.3
 WP0025, GH5/L10.3
 WP0026, GH6/L11.3

WP CloseFit™ Conical Healing Abutment




WP0090, GH2/L7.9
 WP0091, GH3/L8.9
 WP0092, GH4/L9.9
 WP0093, GH5/L10.9
 WP0094, GH6/L11.9




WP™ Αποτύπωση






Συνιστώμενη ροπή 15(Ncm)





Τα εξαρτήματα της εταιρείας μας για λήψη αποτυπωμάτων όλων των ειδών των αποκαταστάσεων μπορούν επιτυχώς να χρησιμοποιηθούν για ψηφιακά ή συμβατικά πρωτόκολλα είτε σε επίπεδο εμφυτεύματος είτε σε επίπεδο κολοβώματος/ διαβλενογόνιου στηρίγματος (abutment).

Το ευρύ φάσμα λύσεων και επιλογών που διαθέτουμε επιτρέπει την πραγματοποίηση της μελέτης της αποκατάστασης με ακρίβεια και ευκολία, είτε πρόκειται για ένα ή περισσότερα δόντια, για γέφυρα ή για ολική αποκατάσταση.




Transfers		L	∅	D1	H	GH	RH	Catalog No.
	WP Slim Closed Tray Transfer - Short	11.30	4.00	3.35	9.00	-	-	WP5109
	WP Slim Closed Tray Transfer - Long	15.30	4.00	3.35	13.00	-	-	WP5113
	WP Closed Tray Transfer - Short	11.30	5.20	3.35	9.00	-	-	WP5209
	WP Closed Tray Transfer - Long	15.30	5.20	3.35	13.00	-	-	WP5213
	WP Wide Closed Tray Transfer - Short	11.30	6.00	3.35	9.00	-	-	WP5309
	WP Wide Closed Tray Transfer - Long	15.30	6.00	3.35	13.00	-	-	WP5313
	WP Slim Open Tray Transfer - Short	14.30	6.00	3.35	10.00	-	-	WP5610
	WP Slim Open Tray Transfer - Long	18.30	6.00	3.35	14.00	-	-	WP5614
	WP Open Tray Transfer - Short	14.30	5.20	3.35	10.00	-	-	WP5510
	WP Open Tray Transfer - Long	18.30	5.20	3.35	14.00	-	-	WP5514
	WP Wide Open Tray Transfer - Short	14.30	6.00	3.35	10.00	-	-	WP5410
	WP Wide Open Tray Transfer - Long	18.30	6.00	3.35	14.00	-	-	WP5414
	WP Scan Body	9.3	-	3.35	7.0	-	-	WP0088
		12.3	-	3.35	10.0	-	-	WP0089

Analog / Digital Analog		L	∅	D1	H	GH	RH	Catalog No.
	WP Implant Analog	13.10	4.00	3.35	-	-	-	WP0007
	WP Digital Model Analog 15 (Ncm)	10.00	4.00	3.35	-	-	-	WP1000



Cement Retained Abutments

Recommended Torque 35(Ncm)




Abutments	L	∅	D1	D2	H	GH	RH	Catalog No.
 WP Straight Slim Abutment No End Line	11.00	4.20	3.35	3.36	8.70	2.70	6.00	WP0020
 WP Straight Abutment	9.80	5.05	3.35	3.57	7.50	1.00	6.50	WP0012
	10.80	5.05	3.35	3.57	8.50	2.00	6.50	WP0011
	11.80	5.05	3.35	3.57	9.50	3.00	6.50	WP0010
 WP Angled Abutment 15°	9.80	5.05	3.35	2.61	7.50	1.00	6.50	WP0013
	10.80	5.05	3.35	2.61	8.50	2.00	6.50	WP0014
	11.80	5.05	3.35	2.61	9.50	3.00	6.50	WP0015
 WP Engaging Temporary Abutment	12.65	4.20	3.35	3.90	10.35	0.90	9.45	WP0043
 WP Non-Engaging Temporary Abutment	12.65	4.20	3.35	3.90	10.35	0.90	9.45	WP0044
 WP Plastic Cylinder Abutment (Casting)	12.65	4.20	3.35	3.40	10.35	0.90	9.45	WP0045
 WP Engaging Titanium/Plastic Abutment (Casting)	13.80	5.20	3.35	5.20	11.50	1.50	10.00	WP3095
	WP Non-Engaging Titanium/ Plastic Abutment (Casting)	13.80	5.20	3.35	5.20	11.50	1.50	10.00



TMA™ – Multi Unit

Συνιστώμενη ροπή 35(Ncm)



Το σύστημα TMA™ (διαβλενογόνο κολόβωμα) της εταιρείας μας ενδείκνυται για κοχλιούμενες αποκαταστάσεις με γέφυρες και μπορεί να χρησιμοποιηθεί συνδυαστικά με σχεδιασμό σκελετού σε επίπεδο εμφυτεύματος.

Το σύστημα TMA™ χρησιμοποιείται για την ανύψωση της πλατφόρμας έδρασης της αποκατάστασης όταν η αποκατάσταση σε επίπεδο εμφυτεύματος δεν ενδείκνυται, είτε για λόγους πρακτικούς εξαιτίας του βάθους είτε εξαιτίας της γωνίας του εμφυτεύματος.

Είναι σχεδιασμένο για να επιτρέπει καλύτερη πρόσβαση στην αποκατάσταση όταν χρησιμοποιούνται εμφυτεύματα με αποκλίνουσες γωνίες για αποκαταστάσεις οδοντικών τόξων με ολική ή μερική νωδότητα, ειδικά όταν χρησιμοποιούνται γωνιώδη εμφυτεύματα και η τεχνική all-on-x για αποκατάσταση πλήρους τόξου.

Το σύστημα abutment TMA™ είναι διαθέσιμο σε ευθύ ή γωνιώδες (17°, 30°, 45°) περιλαμβάνει το εσωτερικό εξάγωνο (Internal Hex) ως οδηγό και διαθέτει επιλογή για τα ύψη του κολάρου. Τα κολοβώματα/διαβλενογόνα στηρίγματα (abutments) διατίθενται με μικρές λαβές για εύκολο χειρισμό και τοποθέτηση.


TMA		L	Ø	D1	H	GH	RH	Catalog No.
	WP Straight Trans Mucosal Abutment	4.30	4.90	3.35	2.0	1.0	2.10	WP3731
		5.30	4.90	3.35	3.0	2.0	2.10	WP3732
		6.30	4.90	3.35	4.0	3.0	2.10	WP3733
		7.30	4.90	3.35	5.0	4.0	2.10	WP3729
		8.30	4.90	3.35	6.0	5.0	2.10	WP3730
	WP Angled Trans Mucosal Abutment 17° 2.5mm	6.7	4.90	3.35	-	2.54	2.15	WP3734
	WP Angled Trans Mucosal Abutment 17° 3.5mm	7.44	4.90	3.35	-	3.56	2.15	WP3737
	Angled Trans Mucosal Abutment 30° 3mm	6.8	4.90	3.35	-	3.45	2.15	WP3735
	WP Angled Trans Mucosal Abutment 30° 4mm	8.04	4.90	3.35	-	4.11	2.15	WP3738


TMA components		L	∅	D1	D2	H	GH	RH	Catalog No.
	TMA Healing Cap	5.5	4.9	-	3.5	-	-	-	RS5005
		7	4.9	-	3.5	-	-	-	RS5003
	TMA Impression Coping Open Tray	11.0	4.9	-	3.1	-	-	-	RS5006
	TMA Closed Tray Transfer	8.0	4.9	-	4.0	-	-	-	RS5011
	TMA Scan Body	6	4.9	6.5	3.8	4.9	-	-	TM0006
		9	4.9	6.5	3.8	4.9	-	-	TM0009
	TMA Titanium Temporary	12.0	4.9	-	3.5	-	1.5	10.5	RS4900
	TMA Cementing Cone	4.9	4.9	-	2.9	-	1.5	3.4	TM0010
	TMA Plastic Casting Sleeve w/ Prosthetic Screw	12.0	4.9	-	3.3	-	1.5	10.5	RS5001
	TMA Abutment Replica	16.8	4.9	-	1.7	-	-	-	RS5004
	TMA Digital Model Replica Recommended torque 15(Ncm)	12	4.9	-	3.8	-	-	-	RS1001



Single TMA

WP CloseFit™ - Conical Connection Platform | STMA Abutments


WP CloseFit™ - Conical Connection Platform STMA Abutments		L	D1	∅	GH	RH	Catalog No.
	WP Straight Single TMA Abutment 1mm	4.3	3.35	4.9	1.0	2.1	WP3731S
	WP Straight Single TMA Abutment 2mm	5.3	3.35	4.9	2.0	2.1	WP3732S
	WP Straight Single TMA Abutment 3mm	6.3	3.35	4.9	3.0	2.1	WP3733S
	WP Straight Single TMA Abutment 4 mm	8.3	3.35	4.9	5.0	2.1	WP3729S
	WP Straight Single TMA Abutment 5 mm	6.7	3.35	4.9	2.5	2.15	WP3730S


	WP Angled Single TMA Abutment 17° 2.5mm	6.7	3.35	4.9	2.5	2.15	WP3734S
	WP Angled Single TMA Abutment 30° 3mm	6.8	3.35	4.9	3.5	2.15	WP3735S
	WP Angled Single TMA Abutment 17° 3.5mm	7.4	3.35	4.9	3.6	2.15	WP3737S
	WP Angled Single TMA Abutment 30° 4mm	8.0	3.35	4.9	4.1	2.15	WP3738S








Overdenture Restoration

Recommended Torque 35(Ncm)



Ball Attachment		L	Ø	D1	D2	H	GH	RH	Catalog No.
	WP Ball Attachment	9.32	3.50	3.35	2.50	4.00	0.50	2.72	WP0051
		9.82	3.50	3.35	2.50	4.50	1.00	2.72	WP0052
		10.82	3.50	3.35	2.50	5.50	2.00	2.72	WP0053
		11.82	3.50	3.35	2.50	6.50	3.00	2.72	WP0054
		12.82	3.50	3.35	2.50	7.50	4.00	2.72	WP0055
		13.82	3.50	3.35	2.50	8.50	5.00	2.72	WP0056

Ball Attachment caps		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Plastic Ball Cap White (Nylon)	2.60	4.10	-	3.60	-	-	-	RS2660
	Plastic Ball Cap Pink Soft (Nylon)	2.60	4.10	-	3.60	-	-	-	RS2662
	Titanium Ball Cap	2.90	4.70	-	4.70	-	-	-	RS2670
	Stainless Steel Ball Cap	2.90	4.70	-	4.70	-	-	-	RS2675SS

Ball Attachment		L	Ø	D1	D2	H	GH	RH	Catalog No.
	Ball Attachment Abutment Replica	16.60	4.00	-	2.50	-	0.80	2.70	RS5740

Grip™ Abutments



WP™ | Conical Connection

Wide platform




Grip WP Abutment 1mm	WP0063
Grip WP Abutment 2mm	WP0057
Grip WP Abutment 3mm	WP0058
Grip WP Abutment 4mm	WP0059
Grip WP Abutment 5mm	WP0060
Grip WP Abutment 6mm	WP0061







Χειρουργικές κασετίνες Κωνικής Σύνδεσης



Οι επιτυχημένες χειρουργικές διαδικασίες ξεκινούν έχοντας τα σωστά εργαλεία για να διασφαλίσουμε ότι θα επιτευχθούν τα επιθυμητά αποτελέσματα θεραπείας.

Για τον λόγο αυτό το ευρύ φάσμα των εργαλείων μας διαθέτει ότι χρειάζεστε, συμπεριλαμβανομένων τρυπανιών, κλειδιών, κλειδιών σύσφιξης (καστάνιες) και εργαλείων τοποθέτησης. Όχι μόνο καθιστούν τις διαδικασίες πιο ασφαλείς, αλλά έχουν ως αποτέλεσμα βελτιωμένη εμπειρία για τον ασθενή.

Η σειρά των χειρουργικών κασετινών Surgical Kits διευκολύνει και απλοποιεί τις διαδικασίες τοποθέτησης εμφυτευμάτων.

Surgical Kits contain			Premium CF6300	Advanced CF6302	Starter CF6303
Drills:					
	RS8032	Tip Drill	✓		
	TD2218	Tri-Step Drill-Long	✓		
	DL1820	Pilot Drill 2mmD x 8-18mmL	✓	✓	✓
	DL1825	Twist Step Drill 1.8/2.5mmD x 8-18mmL	*		
	DL1828	Twist Step Drill 2.3/2.8mmD x 8-18mmL	✓	✓	✓
	DL1832	Twist Step Drill 2.8/3.2mmD x 8-18mmL	✓	✓	✓
	DL1836	Twist Step Drill 3.2/3.6mmD x 8-18mmL	✓	✓	✓
	DL1842	Twist Step Drill 3.8/4.2mmD x 8-18mmL	✓	✓	
	DL1846	Twist Step Drill 4.2/4.6mmD x 8-18mmL	✓	✓	
Drills:					
	TD1511	Tri-Step Drill - Short	✓		
	DL1320	Pilot Drill 2mmD x 6-13mmL	✓		
	DL1325	Twist Step Drill 1.8/2.5mmD x 6-13mmL	*		
	DL1328	Twist Step Drill 2.3/2.8mmDx6-13mmL	✓		
	DL1332	Twist Step Drill 2.8/3.2mmDx6-13mmL	✓		
	DL1336	Twist Step Drill 3.2/3.6mmDx6-13mmL	✓		
	DL1342	Twist Step Drill 3.8/4.2mmDx6-13mmL	✓		
	DL1346	Twist Step Drill 4.2/4.6mmDx6-13mmL	✓		
Surgical tools:					
	RS6111	Surgical Torque Ratchet 35-100 Ncm	✓	✓	✓
	RA0050	Wrench Ratchet Surgical Instruments Handle	✓	✓	✓
	RS6180	Depth Probe	✓	✓	
Parallel pins:					
	RS6150	Parallel Pin Short (qty. 4)	✓	✓	
	RS6155	Parallel Pin Long (qty. 2)	✓	✓	
Inserion tools:					
	NP0068	NP 2mm Hex Handpiece Adapter - Short	✓	✓	✓
	NP0071	NP 2mm Hex Handpiece Adapter - Medium	✓	✓	✓
	NP0074	NP 2mm Hex Handpiece Adapter - Long	✓	✓	✓
	RP0068	RP 2.25mm Hex Handpiece Adapter - Short	✓	✓	✓
	RP0071	RP 2.25mm Hex Handpiece Adapter - Medium	✓	✓	✓
	RP0074	RP 2.25mm Hex Handpiece Adapter - Long	✓	✓	✓
	WP0068	WP 2.65mm Hex Handpiece Adapter - Short	✓	✓	✓
	WP0071	WP 2.65mm Hex Handpiece Adapter - Medium	✓	✓	✓
	WP0074	WP 2.65mm Hex Handpiece Adapter - Long	✓	✓	✓
Drivers:					
	RP0064	Star Hand Driver - Short	✓	✓	✓
	RP0004	Star Hand Driver - Long	✓	✓	✓
Drill extension:					
	RS9027	Drill Extension	✓	✓	

*Products may be ordered separately as an addition to the kit

Premium Kit CF6300



Drills	Catalog No.
Tip Drill	RS8032
Tri-Step Drill-Long	TD2218
Pilot Drill 2mmD x 8-18mmL	DL1820
Twist Step Drill 1.8/2.5mmD x 8-18mmL	DL1825
Twist Step Drill 2.3/2.8mmD x 8-18mmL	DL1828
Twist Step Drill 2.8/3.2mmD x 8-18mmL	DL1832
Twist Step Drill 3.2/3.6mmD x 8-18mmL	DL1836
Twist Step Drill 3.8/4.2mmD x 8-18mmL	DL1842
Twist Step Drill 4.2/4.6mmD x 8-18mmL	DL1846
Tri-Step Drill - Short	TD1511
Pilot Drill 2mmD x 6-13mmL	DL1320
*Twist Step Drill 1.8/2.5mmDx6-13mmL	DL1325
Twist Step Drill 2.3/2.8mmDx6-13mmL	DL1328
Twist Step Drill 2.8/3.2mmDx6-13mmL	DL1332
Twist Step Drill 3.2/3.6mmDx6-13mmL	DL1336
Twist Step Drill 3.8/4.2mmDx6-13mmL	DL1342
Twist Step Drill 4.2/4.6mmDx6-13mmL	DL1346

Surgical Tools	Catalog No.
Wrench Ratchet Surgical Instruments Handle	RA0050
Surgical Torque Ratchet 35-100 Ncm	RS6111
Depth Probe	RS6180

Paraller Pin	Catalog No.
Parallel Pin Short 11mm (qty. 4)	RS6150
Parallel Pin Long 16mm (qty. 2)	RS6155


Insersion Tools	Catalog No.
NP 2mm Hex Handpiece Adapter - Short	NP0068
NP 2mm Hex Handpiece Adapter - Medium	NP0071
NP 2mm Hex Handpiece Adapter - Long	NP0074
RP 2.25mm Hex Handpiece Adapter - Short	RP0068
RP 2.25mm Hex Handpiece Adapter - Medium	RP0071
RP 2.25mm Hex Handpiece Adapter - Long	RP0074
WP 2.65mm Hex Handpiece Adapter - Short	WP0068
WP 2.65mm Hex Handpiece Adapter - Medium	WP0071
WP 2.65mm Hex Handpiece Adapter - Long	WP0074

Drivers	Catalog No.
Star Hand Driver - Short	RP0064
Star Hand Driver - Long	RP0004

Drill Extension	Catalog No.
Drill Extension	RS9027

*Products may be ordered separately as an addition to the kit

Advanced Kit CF6302



Drills	Catalog No.
Pilot Drill 2mmD x 8-18mmL	DL1820
Twist Step Drill 2.3/2.8mmD x 8-18mmL	DL1828
Twist Step Drill 2.8/3.2mmD x 8-18mmL	DL1832
Twist Step Drill 3.2/3.6mmD x 8-18mmL	DL1836
Twist Step Drill 3.6/4.2mmD x 8-18mmL	DL1842
Twist Step Drill 4.2/4.6mmD x 8-18mmL	DL1846

Insersion Tools	Catalog No.
NP 2mm Hex Handpiece Adapter - Short	NP0068
NP 2mm Hex Handpiece Adapter - Medium	NP0071
NP 2mm Hex Handpiece Adapter - Long	NP0074
RP 2.25mm Hex Handpiece Adapter - Short	RP0068
RP 2.25mm Hex Handpiece Adapter - Medium	RP0071
RP 2.25mm Hex Handpiece Adapter - Long	RP0074
WP 2.65mm Hex Handpiece Adapter - Short	WP0068
WP 2.65mm Hex Handpiece Adapter - Medium	WP0071
WP 2.65mm Hex Handpiece Adapter - Long	WP0074

Surgical Tools	Catalog No.
Wrench Ratchet Surgical Instruments Handle	RA0050
Surgical Torque Ratchet 35-100 Ncm	RS6111
Depth Probe	RS6180

Drivers	Catalog No.
Star Hand Driver - Short	RP0064
Star Hand Driver - Long	RP0004


Paraller Pin	Catalog No.
Parallel Pin Short 11mm (qty. 4)	RS6150
Parallel Pin Long 16mm (qty. 2)	RS6155

Drill Extension	Catalog No.
Drill Extension	RS9027

*The advanced kit is also available with short drills | Catalog No. CF6304



CAD CAM



Οι βιβλιοθήκες και τα εξαρτήματα CAD-CAM της Adin επιτρέπουν στους οδοντίατρους και στους οδοντικούς τεχνολόγους να σχεδιάζουν και να κατασκευάζουν αποκαταστάσεις στηριζόμενες σε εμφυτεύματα Adin σύμφωνα με την τελευταία λέξη της τεχνολογίας, χρησιμοποιώντας τρέχουσες και σύγχρονες ψηφιακές διαδικασίες αποκατάστασης.

Η ποικιλία των εξαρτημάτων διασφαλίζει απεριόριστες επιλογές αποκαταστάσεων για περιστατικά ενός ή πολλών δοντιών, μερικής ή ολικής νωδότητας.






NP CloseFit™

Narrow Platform

Scan body

For Intra-oral and Desktop Scanner



NP CloseFit™
Scan Body 7mm


NP CloseFit™
Scan Body 10mm



Catalog No.	NP0088	NP0089
Retaining Screw Included	NP0001	NP0001
Dimensions	H1: 7 mm W: 4.2 mm L: 6.7 mm	H1: 10 mm W: 4.5 mm L: 6.9 mm


Ti Bases

For screw retained restorations



NP CloseFit™
Ti Base Engaged

NP CloseFit™
Ti Base Non Engaged




NP CloseFit™
Ti Base Angular Engaged




Catalog No.	NP1004	NP1008	Catalog No.	NP1017
Retaining Screw Included	NP0001	NP0001	Retaining Screw Included	NP0001
Dimensions	H1: 5.4 mm H2: 3.9 mm — — D1: ø2.9 mm D2: ø3.8 mm W: 0.5 mm GH: 1.5mm	H1: 5.4 mm H2: 3.9 mm — — D1: ø2.9 mm D2: ø3.8 mm W: 0.5 mm GH: 1.5mm	Dimensions	H1: 5.4 mm H2: 3.9 mm H3: 1.5 mm A: 45° D1: ø2.9 mm D2: ø3.8 mm W: 0.5 mm GH: 1.5mm
Intended Use	Single Unit	Bridge	Single Unit / Angle Correction	

Ti Blanks*

For Medentika PreFace® Holders



NP CloseFit™
Ti Pre Milled MDTK
Abutment Blank
ø11.5mm



NP CloseFit™
Ti Pre Milled MDTK
Abutment Blank
ø15.8mm



Catalog No.	NP1111	Catalog No.	NP1115
Retaining Screw Included	NP0001	Retaining Screw Included	NP0001
Dimensions	H1: 15.4 mm D2: ø11.5 mm	Dimensions	H1: 15.4 mm D2: ø15.8 mm
Intended Use	customized abutment for single unit	Intended Use	customized abutment for single unit




UNP CloseFit™

Ultra Narrow Platform

Scan body

| For Intra-oral and Desktop Scanner



UNP CloseFit™
Scan Body 7mm


UNP CloseFit™
Scan Body 10mm



Catalog No.	UNP0088	UNP0089
Retaining Screw Included	UNP0001	UNP0001
Dimensions	H1: 7 mm W: 4.2 mm L: 6.7 mm	H1: 10 mm W: 4.5 mm L: 6.9 mm


Ti Bases

| For screw retained restorations



UNP CloseFit™
Ti Base Engaged

UNP CloseFit™
Ti Base Non Engaged




UNP CloseFit™
Ti Base Angular Engaged




Catalog No.	UNP1704	UNP1708	Catalog No.	UNP1717
Retaining Screw Included	UNP0001	UNP0001	Retaining Screw Included	UNP0001
Dimensions	H1: 5.4 mm H2: 3.9 mm — — D1: Ø2.9 mm D2: Ø3.8 mm W: 0.5 mm GH: 1.5 mm	H1: 5.4 mm H2: 3.9 mm — — D1: Ø2.9 mm D2: Ø3.8 mm W: 0.5 mm GH: 1.5 mm	Dimensions	H1: 5.4 mm H2: 3.9 mm H3: 1.5 mm A: 45° D1: Ø2.9 mm D2: Ø3.8 mm W: 0.5 mm GH: 1.5 mm
Intended Use	Single Unit	Bridge	Intended Use	Single Unit / Angle Correction

Ti Blanks*

| For Medentika PreFace® Holders



UNP CloseFit™
Ti Pre Milled MDTK
Abutment Blank
Ø11.5mm



UNP CloseFit™
Ti Pre Milled MDTK
Abutment Blank
Ø15.8mm



Catalog No.	UNP1711	Catalog No.	UNP1715
Retaining Screw Included	UNP0001	Retaining Screw Included	UNP0001
Dimensions	H1: 15.4 mm D2: Ø11.5 mm	Dimensions	H1: 15.4 mm D2: Ø15.8 mm
Intended Use	customized abutment for single unit	Intended Use	customized abutment for single unit




RP CloseFit™

Regular Platform

Scan body

| For Intra-oral and Desktop Scanner



RP CloseFit™
Scan Body 7mm


RP CloseFit™
Scan Body 10mm



Catalog No.	RP0088	RP0089
Retaining Screw Included	RP0001	RP0001
Dimensions	H1: 7 mm W: 4.3 mm L: 6.7 mm	H1: 10 mm W: 4.5 mm L: 6.9 mm


Ti Bases

| For screw retained restorations



RP CloseFit™
Ti Base Engaged

RP CloseFit™
Ti Base Non Engaged




RP CloseFit™
Ti Base Angular Engaged




Catalog No.	RP1204	RP1208	Catalog No.	RP1217
Retaining Screw Included	RP0001	RP0001	Retaining Screw Included	RP0001
Dimensions	H1: 4.9 mm H2: 3.9 mm — — D1: ø3.3 mm D2: ø4.5mm W: 0.6mm GH: 1.0mm	H1: 4.9 mm H2: 3.9 mm — — D1: ø3.3 mm D2: ø4.5mm W: 0.6mm GH: 1.0mm	Dimensions	H1: 4.9 mm H2: 3.9 mm H3: 1.5 mm A: 48° D1: ø3.3 mm D2: ø4.5 mm W: 0.6 mm GH: 1.0mm
Intended Use	Single Unit	Bridge	Intended Use	Single Unit / Angle Correction

Ti Blanks*

| For Medentika PreFace® Holders



RP CloseFit™
Ti Pre Milled MDTK
Abutment Blank
ø11.5mm



RP CloseFit™
Ti Pre Milled MDTK
Abutment Blank
ø15.8mm



Catalog No.	RP1211	Catalog No.	RP1215
Retaining Screw Included	RP0001	Retaining Screw Included	RP0001
Dimensions	H1: 15.2mm D2: ø11.5 mm	Dimensions	H1: 15.2mm D2: ø15.8 mm
Intended Use	customized abutment for single unit	Intended Use	customized abutment for single unit




WP CloseFit™

Wide Platform

Scan body

For Intra-oral and Desktop Scanner



WP CloseFit™
Scan Body 7mm


WP CloseFit™
Scan Body 10mm



Catalog No.	WP0088	WP0089
Retaining Screw Included	WP0001	WP0001
Dimensions	H1: 7 mm W: 4.3 mm L: 6.7 mm	H1: 10 mm W: 4.5 mm L: 6.9 mm


Ti Bases

For screw retained restorations



WP CloseFit™
Ti Base Engaged

WP CloseFit™
Ti Base Non Engaged




WP CloseFit™
Ti Base Angular Engaged




Catalog No.	WP1304	WP1308	Catalog No.	WP1317
Retaining Screw Included	WP0001	WP0001	Retaining Screw Included	WP0001
Dimensions	H1: 4.7 mm H2: 3.9 mm — — D1: ø3.5 mm D2: ø4.5 mm W: 0.5 mm GH: 0.8 mm	H1: 4.7 mm H2: 3.9 mm — — D1: ø3.5 mm D2: ø4.5 mm W: 0.5 mm GH: 0.8 mm	Dimensions	H1: 4.7 mm H2: 3.9 mm H3: 1.5 mm A: 51.5° D1: ø3.5 mm D2: ø4.5 mm W: 0.5 mm GH: 0.8 mm
Intended Use	Single Unit	Bridge	Intended Use	Single Unit / Angle Correction

Ti Blanks*

For Medentika PreFace® Holders



WP CloseFit™
Ti Pre Milled MDTK
Abutment Blank
ø11.5mm



WP CloseFit™
Ti Pre Milled MDTK
Abutment Blank
ø15.8mm




Catalog No.	WP1311	Catalog No.	WP1315
Retaining Screw Included	WP0001	Retaining Screw Included	WP0001
Dimensions	H1: 15.2 mm D2: ø11.5 mm	Dimensions	H1: 15.2 mm D2: ø15.8 mm
Intended Use	customized abutment for single unit	Intended Use	customized abutment for single unit



Digital Analog

Recommended Torque 15(Ncm)





Digital Analog	UNP CloseFit™ Implant Analog	NP CloseFit™ Implant Analog	RP CloseFit™ Implant Analog	WP CloseFit™ Implant Analog
				
Catalog No.	UNP1000	NP1000	RP1000	WP1000

Retaining Screw for Digital Analog



Catalog No.	RS1002
-------------	--------

Tool driver	1.27 Hex Hand Driver - Short	1.27 Hex Hand Driver - Medium
		
Catalog No.	RS6095	RS6094



Screws & TMA

Screws

UNP CloseFit™
Abutment Screw

NP CloseFit™
Abutment Screw

RP CloseFit™
Abutment Screw

WP CloseFit™
Abutment Screw



Catalog No.

UNP0001

NP0001

RP0001

WP0001

Intended use

For UNP Scan Body,
Ti Bases & Blanks

For NP Scan Body,
Ti Bases & Blanks

For RP Scan Body,
Ti Bases & Blanks

For WP Scan Body,
Ti Bases & Blanks

TMA - Multi Unit

TMA
Scan Body Screw

TMA
Prosthetic Screw



Catalog No.

TM0001

RS3404


Intended use

For TMA-MU

For TMA-MU


Scan Body & Cementing Cone

Temporary cylinder &
TMA direct option






Ti Base




CloseFit™ UNP

Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base UNP Abutment, RH 4mm GH 1.5mm Engaged	4	1.5	4.1	3.1	7.8	0.5	TB06411
Ti Base UNP Abutment, RH 4mm GH 2mm Engaged	4	2	4.1	3.1	8.3	0.5	TB06421
Ti Base UNP Abutment, RH 4mm GH 3mm Engaged	4	3	4.1	3.1	9.3	0.5	TB06431
Ti Base UNP Abutment, RH 4mm GH 4mm Engaged	4	4	4.1	3.1	10.3	0.5	TB06441
Ti Base UNP Abutment, RH 6mm GH 1.5mm Engaged	6	1.5	4.1	3.1	9.8	0.5	TB06611
Ti Base UNP Abutment, RH 6mm GH 2mm Engaged	6	2	4.1	3.1	10.3	0.5	TB06621
Ti Base UNP Abutment, RH 6mm GH 3mm Engaged	6	3	4.1	3.1	11.3	0.5	TB06631
Ti Base UNP Abutment, RH 6mm GH 4mm Engaged	6	4	4.1	3.1	12.3	0.5	TB06641
Ti Base UNP Abutment, RH 8mm GH 1.5mm Engaged	8	1.5	4.1	3.1	11.8	0.5	TB06811
Ti Base UNP Abutment, RH 8mm GH 2mm Engaged	8	2	4.1	3.1	12.3	0.5	TB06821




Non Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base UNP Abutment, RH 4mm GH 1.5mm Non Engaged	4	1.5	4.1	3.1	6.8	0.5	TB06412
Ti Base UNP Abutment, RH 4mm GH 2mm Non Engaged	4	2	4.1	3.1	7.3	0.5	TB06422
Ti Base UNP Abutment, RH 4mm GH 3mm Non Engaged	4	3	4.1	3.1	8.3	0.5	TB06432
Ti Base UNP Abutment, RH 4mm GH 4mm Non Engaged	4	4	4.1	3.1	9.3	0.5	TB06442
Ti Base UNP Abutment, RH 6mm GH 1.5mm Non Engaged	6	1.5	4.1	3.1	8.8	0.5	TB06612
Ti Base UNP Abutment, RH 6mm GH 2mm Non Engaged	6	2	4.1	3.1	9.3	0.5	TB06622
Ti Base UNP Abutment, RH 6mm GH 3mm Non Engaged	6	3	4.1	3.1	10.3	0.5	TB06632

Non Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base UNP Abutment, RH 6mm GH 4mm Non Engaged	6	4	4.1	3.1	11.3	0.5	TB06642
Ti Base UNP Abutment, RH 8mm GH 1.5mm Non Engaged	8	1.5	4.1	3.1	10.8	0.5	TB06812
Ti Base UNP Abutment, RH 8mm GH 2mm Non Engaged	8	2	4.1	3.1	11.3	0.5	TB06822




Angular Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base UNP Abutment, RH 4mm GH 1.5mm Angular Engaged	4	1.5	4.1	3.1	7.8	0.5	TB06413
Ti Base UNP Abutment, RH 4mm GH 2mm Angular Engaged	4	2	4.1	3.1	8.3	0.5	TB06423
Ti Base UNP Abutment, RH 4mm GH 3mm Angular Engaged	4	3	4.1	3.1	9.3	0.5	TB06433
Ti Base UNP Abutment, RH 4mm GH 4mm Angular Engaged	4	4	4.1	3.1	10.3	0.5	TB06443
Ti Base UNP Abutment, RH 6mm GH 1.5mm Angular Engaged	6	1.5	4.1	3.1	9.8	0.5	TB06613
Ti Base UNP Abutment, RH 6mm GH 2mm Angular Engaged	6	2	4.1	3.1	10.3	0.5	TB06623
Ti Base UNP Abutment, RH 6mm GH 3mm Angular Engaged	6	3	4.1	3.1	11.3	0.5	TB06633
Ti Base UNP Abutment, RH 6mm GH 4mm Angular Engaged	6	4	4.1	3.1	12.3	0.5	TB06643
Ti Base UNP Abutment, RH 8mm GH 1.5mm Angular Engaged	8	1.5	4.1	3.1	11.8	0.5	TB06813
Ti Base UNP Abutment, RH 8mm GH 2mm Angular Engaged	8	2	4.1	3.1	12.3	0.5	TB06823




CloseFit™ NP

Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base NP Abutment, RH 4mm GH 1.5mm Engaged	4	1.5	4.1	3.1	7.7	0.5	TB02411
Ti Base NP Abutment, RH 4mm GH 2mm Engaged	4	2	4.1	3.1	8.2	0.5	TB02421
Ti Base NP Abutment, RH 4mm GH 3mm Engaged	4	3	4.1	3.1	9.2	0.5	TB02431
Ti Base NP Abutment, RH 4mm GH 4mm Engaged	4	4	4.1	3.1	10.2	0.5	TB02441
Ti Base NP Abutment, RH 6mm GH 1.5mm Engaged	6	1.5	4.1	3.1	9.7	0.5	TB02611
Ti Base NP Abutment, RH 6mm GH 2mm Engaged	6	2	4.1	3.1	10.2	0.5	TB02621
Ti Base NP Abutment, RH 6mm GH 3mm Engaged	6	3	4.1	3.1	11.2	0.5	TB02631

Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base NP Abutment, RH 6mm GH 4mm Engaged	6	4	4.1	3.1	12.2	0.5	TB02641
Ti Base NP Abutment, RH 8mm GH 1.5mm Engaged	8	1.5	4.1	3.1	11.7	0.5	TB02811
Ti Base NP Abutment, RH 8mm GH 2mm Engaged	8	2	4.1	3.1	12.2	0.5	TB02821




Non Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base NP Abutment, RH 4mm GH 1.5mm Non Engaged	4	1.5	4.1	3.1	6.7	0.5	TB02412
Ti Base NP Abutment, RH 4mm GH 2mm Non Engaged	4	2	4.1	3.1	7.2	0.5	TB02422
Ti Base NP Abutment, RH 4mm GH 3mm Non Engaged	4	3	4.1	3.1	8.2	0.5	TB02432
Ti Base NP Abutment, RH 4mm GH 4mm Non Engaged	4	4	4.1	3.1	9.2	0.5	TB02442
Ti Base NP Abutment, RH 6mm GH 1.5mm Non Engaged	6	1.5	4.1	3.1	8.7	0.5	TB02612
Ti Base NP Abutment, RH 6mm GH 2mm Non Engaged	6	2	4.1	3.1	9.2	0.5	TB02622
Ti Base NP Abutment, RH 6mm GH 3mm Non Engaged	6	3	4.1	3.1	10.2	0.5	TB02632
Ti Base NP Abutment, RH 6mm GH 4mm Non Engaged	6	4	4.1	3.1	11.2	0.5	TB02642
Ti Base NP Abutment, RH 8mm GH 1.5mm Non Engaged	8	1.5	4.1	3.1	10.7	0.5	TB02812
Ti Base NP Abutment, RH 8mm GH 2mm Non Engaged	8	2	4.1	3.1	11.2	0.5	TB02822




Angular Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base NP Abutment, RH 4mm GH 1.5mm Angular Engaged	4	1.5	4.1	3.1	7.7	0.5	TB02413
Ti Base NP Abutment, RH 4mm GH 2mm Angular Engaged	4	2	4.1	3.1	8.2	0.5	TB02423
Ti Base NP Abutment, RH 4mm GH 3mm Angular Engaged	4	3	4.1	3.1	9.2	0.5	TB02433
Ti Base NP Abutment, RH 4mm GH 4mm Angular Engaged	4	4	4.1	3.1	10.2	0.5	TB02443
Ti Base NP Abutment, RH 6mm GH 1.5mm Angular Engaged	6	1.5	4.1	3.1	9.7	0.5	TB02613
Ti Base NP Abutment, RH 6mm GH 2mm Angular Engaged	6	2	4.1	3.1	10.2	0.5	TB02623
Ti Base NP Abutment, RH 6mm GH 3mm Angular Engaged	6	3	4.1	3.1	11.2	0.5	TB02633

Angular Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base NP Abutment, RH 6mm GH 4mm Angular Engaged	6	4	4.1	3.1	12.2	0.5	TB02643
Ti Base NP Abutment, RH 8mm GH 1.5mm Angular Engaged	8	1.5	4.1	3.1	11.7	0.5	TB02813
Ti Base NP Abutment, RH 8mm GH 2mm Angular Engaged	8	2	4.1	3.1	12.2	0.5	TB02823




CloseFit™ RP

Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RP Abutment, RH 4mm GH 1mm Engaged	4	1	4.5	3.5	7.2	0.5	TB03411
Ti Base RP Abutment, RH 4mm GH 2mm Engaged	4	2	4.5	3.5	8.2	0.5	TB03421
Ti Base RP Abutment, RH 4mm GH 3mm Engaged	4	3	4.5	3.5	9.2	0.5	TB03431
Ti Base RP Abutment, RH 4mm GH 4mm Engaged	4	4	4.5	3.5	10.2	0.5	TB03441
Ti Base RP Abutment, RH 6mm GH 1mm Engaged	6	1	4.5	3.5	9.2	0.5	TB03611
Ti Base RP Abutment, RH 6mm GH 2mm Engaged	6	2	4.5	3.5	10.2	0.5	TB03621
Ti Base RP Abutment, RH 6mm GH 3mm Engaged	6	3	4.5	3.5	11.2	0.5	TB03631
Ti Base RP Abutment, RH 6mm GH 4mm Engaged	6	4	4.5	3.5	12.2	0.5	TB03641
Ti Base RP Abutment, RH 8mm GH 1mm Engaged	8	1	4.5	3.5	11.2	0.5	TB03811
Ti Base RP Abutment, RH 8mm GH 2mm Engaged	8	2	4.5	3.5	12.2	0.5	TB03821
Ti Base RP Abutment, RH 8mm GH 3mm Engaged	8	3	4.5	3.5	13.2	0.5	TB03831
Ti Base RP Abutment, RH 8mm GH 4mm Engaged	8	4	4.5	3.5	14.2	0.5	TB03841




Non Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RP Abutment, RH 4mm GH 1mm Non Engaged	4	1	4.5	3.5	6.5	0.5	TB03412
Ti Base RP Abutment, RH 4mm GH 2mm Non Engaged	4	2	4.5	3.5	7.5	0.5	TB03422
Ti Base RP Abutment, RH 4mm GH 3mm Non Engaged	4	3	4.5	3.5	8.5	0.5	TB03432
Ti Base RP Abutment, RH 4mm GH 4mm Non Engaged	4	4	4.5	3.5	9.5	0.5	TB03442
Ti Base RP Abutment, RH 6mm GH 1mm Non Engaged	6	1	4.5	3.5	8.5	0.5	TB03612
Ti Base RP Abutment, RH 6mm GH 2mm Non Engaged	6	2	4.5	3.5	9.5	0.5	TB03622
Ti Base RP Abutment, RH 6mm GH 3mm Non Engaged	6	3	4.5	3.5	10.5	0.5	TB03632

Non Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RP Abutment, RH 6mm GH 4mm Non Engaged	6	4	4.5	3.5	11.5	0.5	TB03642
Ti Base RP Abutment, RH 8mm GH 1mm Non Engaged	8	1	4.5	3.5	10.5	0.5	TB03812
Ti Base RP Abutment, RH 8mm GH 2mm Non Engaged	8	2	4.5	3.5	11.5	0.5	TB03822
Ti Base RP Abutment, RH 8mm GH 3mm Non Engaged	8	3	4.5	3.5	12.5	0.5	TB03832
Ti Base RP Abutment, RH 8mm GH 4mm Non Engaged	8	4	4.5	3.5	13.5	0.5	TB03842



Angular Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base RP Abutment, RH 4mm GH 1mm Angular Engaged	4	1	4.5	3.5	7.2	0.5	TB03413
Ti Base RP Abutment, RH 4mm GH 2mm Angular Engaged	4	2	4.5	3.5	8.2	0.5	TB03423
Ti Base RP Abutment, RH 4mm GH 3mm Angular Engaged	4	3	4.5	3.5	9.2	0.5	TB03433
Ti Base RP Abutment, RH 4mm GH 4mm Angular Engaged	4	4	4.5	3.5	10.2	0.5	TB03443
Ti Base RP Abutment, RH 6mm GH 1mm Angular Engaged	6	1	4.5	3.5	9.2	0.5	TB03613
Ti Base RP Abutment, RH 6mm GH 2mm Angular Engaged	6	2	4.5	3.5	10.2	0.5	TB03623
Ti Base RP Abutment, RH 6mm GH 3mm Angular Engaged	6	3	4.5	3.5	11.2	0.5	TB03633
Ti Base RP Abutment, RH 6mm GH 4mm Angular Engaged	6	4	4.5	3.5	12.2	0.5	TB03643
Ti Base RP Abutment, RH 8mm GH 1mm Angular Engaged	8	1	4.5	3.5	11.2	0.5	TB03813
Ti Base RP Abutment, RH 8mm GH 2mm Angular Engaged	8	2	4.5	3.5	12.2	0.5	TB03823
Ti Base RP Abutment, RH 8mm GH 3mm Angular Engaged	8	3	4.5	3.5	13.2	0.5	TB03833
Ti Base RP Abutment, RH 8mm GH 4mm Angular Engaged	8	4	4.5	3.5	14.2	0.5	TB03843




CloseFit™ WP

Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base WP Abutment, RH 4mm GH 1mm Engaged	4	1	4.7	3.7	7.3	0.5	TB05411
Ti Base WP Abutment, RH 4mm GH 2mm Engaged	4	2	4.7	3.7	8.3	0.5	TB05421
Ti Base WP Abutment, RH 4mm GH 3mm Engaged	4	3	4.7	3.7	9.3	0.5	TB05431
Ti Base WP Abutment, RH 4mm GH 4mm Engaged	4	4	4.7	3.7	10.3	0.5	TB05441
Ti Base WP Abutment, RH 6mm GH 1mm Engaged	6	1	4.7	3.7	9.3	0.5	TB05611
Ti Base WP Abutment, RH 6mm GH 2mm Engaged	6	2	4.7	3.7	10.3	0.5	TB05621
Ti Base WP Abutment, RH 6mm GH 3mm Engaged	6	3	4.7	3.7	11.3	0.5	TB05631
Ti Base WP Abutment, RH 6mm GH 4mm Engaged	6	4	4.7	3.7	12.3	0.5	TB05641

Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base WP Abutment, RH 8mm GH 1mm Engaged	8	1	4.7	3.7	11.3	0.5	TB05811
Ti Base WP Abutment, RH 8mm GH 2mm Engaged	8	2	4.7	3.7	12.3	0.5	TB05821
Ti Base WP Abutment, RH 8mm GH 3mm Engaged	8	3	4.7	3.7	13.3	0.5	TB05831
Ti Base WP Abutment, RH 8mm GH 4mm Engaged	8	4	4.7	3.7	14.3	0.5	TB05841


Engaged Wide	RH	GH	D1	D2	L	W	Catalog No.
Ti Base WP Abutment, RH 4mm GH 1mm Engaged, Wide	4	1	5.5	3.7	7.3	0.9	TB05411W
Ti Base WP Abutment, RH 4mm GH 2mm Engaged Wide	4	2	5.5	3.7	8.3	0.9	TB05421W
Ti Base WP Abutment, RH 4mm GH 3mm Engaged Wide	4	3	5.5	3.7	9.3	0.9	TB05431W
Ti Base WP Abutment, RH 4mm GH 4mm Engaged Wide	4	4	5.5	3.7	10.3	0.9	TB05441W
Ti Base WP Abutment, RH 6mm GH 1mm Engaged Wide	6	1	5.5	3.7	9.3	0.9	TB05611W
Ti Base WP Abutment, RH 6mm GH 2mm Engaged Wide	6	2	5.5	3.7	10.3	0.9	TB05621W
Ti Base WP Abutment, RH 6mm GH 3mm Engaged Wide	6	3	5.5	3.7	11.3	0.9	TB05631W
Ti Base WP Abutment, RH 6mm GH 4mm Engaged Wide	6	4	5.5	3.7	12.3	0.9	TB05641W
Ti Base WP Abutment, RH 8mm GH 1mm Engaged Wide	8	1	5.5	3.7	11.3	0.9	TB05811W
Ti Base WP Abutment, RH 8mm GH 2mm Engaged Wide	8	2	5.5	3.7	12.3	0.9	TB05821W
Ti Base WP Abutment, RH 8mm GH 3mm Engaged Wide	8	3	5.5	3.7	13.3	0.9	TB05831W
Ti Base WP Abutment, RH 8mm GH 4mm Engaged Wide	8	4	5.5	3.7	14.3	0.9	TB05841W



Non Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base WP Abutment, RH 4mm GH 1mm Non Engaged	4	1	4.7	3.7	6.6	0.5	TB05412
Ti Base WP Abutment, RH 4mm GH 2mm Non Engaged	4	2	4.7	3.7	7.6	0.5	TB05422
Ti Base WP Abutment, RH 4mm GH 3mm Non Engaged	4	3	4.7	3.7	8.6	0.5	TB05432
Ti Base WP Abutment, RH 4mm GH 4mm Non Engaged	4	4	4.7	3.7	9.6	0.5	TB05442
Ti Base WP Abutment, RH 6mm GH 1mm Non Engaged	6	1	4.7	3.7	8.6	0.5	TB05612
Ti Base WP Abutment, RH 6mm GH 2mm Non Engaged	6	2	4.7	3.7	9.6	0.5	TB05622
Ti Base WP Abutment, RH 6mm GH 3mm Non Engaged	6	3	4.7	3.7	10.6	0.5	TB05632
Ti Base WP Abutment, RH 6mm GH 4mm Non Engaged	6	4	4.7	3.7	11.6	0.5	TB05642
Ti Base WP Abutment, RH 8mm GH 1mm Non Engaged	8	1	4.7	3.7	10.6	0.5	TB05812
Ti Base WP Abutment, RH 8mm GH 2mm Non Engaged	8	2	4.7	3.7	11.6	0.5	TB05822

Non Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base WP Abutment, RH 8mm GH 3mm Non Engaged	8	3	4.7	3.7	12.6	0.5	TB05832
Ti Base WP Abutment, RH 8mm GH 4mm Non Engaged	8	4	4.7	3.7	13.6	0.5	TB05842

Non Engaged Wide	RH	GH	D1	D2	L	W	Catalog No.
Ti Base WP Abutment, RH 4mm GH 1mm Non Engaged Wide	4	1	5.5	3.7	6.6	0.9	TB05412W
Ti Base WP Abutment, RH 4mm GH 2mm Non Engaged Wide	4	2	5.5	3.7	7.6	0.9	TB05422W
Ti Base WP Abutment, RH 4mm GH 3mm Non Engaged Wide	4	3	5.5	3.7	8.6	0.9	TB05432W
Ti Base WP Abutment, RH 4mm GH 4mm Non Engaged Wide	4	4	5.5	3.7	9.6	0.9	TB05442W
Ti Base WP Abutment, RH 6mm GH 1mm Non Engaged Wide	6	1	5.5	3.7	8.6	0.9	TB05612W
Ti Base WP Abutment, RH 6mm GH 2mm Non Engaged Wide	6	2	5.5	3.7	9.6	0.9	TB05622W
Ti Base WP Abutment, RH 6mm GH 3mm Non Engaged Wide	6	3	5.5	3.7	10.6	0.9	TB05632W
Ti Base WP Abutment, RH 6mm GH 4mm Non Engaged Wide	6	4	5.5	3.7	11.6	0.9	TB05642W
Ti Base WP Abutment, RH 8mm GH 1mm Non Engaged Wide	8	1	5.5	3.7	10.6	0.9	TB05812W
Ti Base WP Abutment, RH 8mm GH 2mm Non Engaged Wide	8	2	5.5	3.7	11.6	0.9	TB05822W
Ti Base WP Abutment, RH 8mm GH 3mm Non Engaged Wide	8	3	5.5	3.7	12.6	0.9	TB05832W
Ti Base WP Abutment, RH 8mm GH 4mm Non Engaged Wide	8	4	5.5	3.7	13.6	0.9	TB05842W




Angular Engaged	RH	GH	D1	D2	L	W	Catalog No.
Ti Base WP Abutment, RH 4mm GH 1mm Angular Engaged	4	1	4.7	3.7	7.3	0.5	TB05413
Ti Base WP Abutment, RH 4mm GH 2mm Angular Engaged	4	2	4.7	3.7	8.3	0.5	TB05423
Ti Base WP Abutment, RH 4mm GH 3mm Angular Engaged	4	3	4.7	3.7	9.3	0.5	TB05433
Ti Base WP Abutment, RH 4mm GH 4mm Angular Engaged	4	4	4.7	3.7	10.3	0.5	TB05443
Ti Base WP Abutment, RH 6mm GH 1mm Angular Engaged	6	1	4.7	3.7	9.3	0.5	TB05613
Ti Base WP Abutment, RH 6mm GH 3mm Angular Engaged	6	3	4.7	3.7	11.3	0.5	TB05633
Ti Base WP Abutment, RH 6mm GH 4mm Angular Engaged	6	4	4.7	3.7	12.3	0.5	TB05643
Ti Base WP Abutment, RH 8mm GH 1mm Angular Engaged	8	1	4.7	3.7	11.3	0.5	TB05813
Ti Base WP Abutment, RH 8mm GH 2mm Angular Engaged	8	2	4.7	3.7	12.3	0.5	TB05823
Ti Base WP Abutment, RH 8mm GH 3mm Angular Engaged	8	3	4.7	3.7	13.3	0.5	TB05833
Ti Base WP Abutment, RH 8mm GH 4mm Angular Engaged	8	4	4.7	3.7	14.3	0.5	TB05843

Angular Engaged Wide	RH	GH	D1	D2	L	W	Catalog No.
Ti Base WP Abutment, RH 4mm GH 1mm Angular Engaged Wide	4	1	5.5	3.7	7.3	0.9	TB05413W
Ti Base WP Abutment, RH 4mm GH 2mm Angular Engaged Wide	4	2	5.5	3.7	8.3	0.9	TB05423W
Ti Base WP Abutment, RH 4mm GH 3mm Angular Engaged Wide	4	3	5.5	3.7	9.3	0.9	TB05433W
Ti Base WP Abutment, RH 4mm GH 4mm Angular Engaged Wide	4	4	5.5	3.7	10.3	0.9	TB05443W
Ti Base WP Abutment, RH 6mm GH 1mm Angular Engaged Wide	6	1	5.5	3.7	9.3	0.9	TB05613W
Ti Base WP Abutment, RH 6mm GH 2mm Angular Engaged Wide	6	2	5.5	3.7	10.3	0.9	TB05623W
Ti Base WP Abutment, RH 6mm GH 3mm Angular Engaged Wide	6	3	5.5	3.7	11.3	0.9	TB05633W
Ti Base WP Abutment, RH 6mm GH 4mm Angular Engaged Wide	6	4	5.5	3.7	12.3	0.9	TB05643W
Ti Base WP Abutment, RH 8mm GH 1mm Angular Engaged Wide	8	1	5.5	3.7	11.3	0.9	TB05813W
Ti Base WP Abutment, RH 8mm GH 2mm Angular Engaged Wide	8	2	5.5	3.7	12.3	0.9	TB05823W
Ti Base WP Abutment, RH 8mm GH 3mm Angular Engaged Wide	8	3	5.5	3.7	13.3	0.9	TB05833W
Ti Base WP Abutment, RH 8mm GH 4mm Angular Engaged Wide	8	4	5.5	3.7	14.3	0.9	TB05843W





Prosthetic Kit PK6300



Prosthetic Kit		L	Catalog No.
	1.27 Hex Driver for Handpiece-Long	30.0	RS9035
	1.27 Hex Driver for Handpiece-Short	25.0	RS9030
	TMA/FC Hex Handpiece Adapter-Long	25.0	RS6195A
	TMA/FC Hex Handpiece Adapter-Short	20.0	RS6194
	1.27 Hex Torque Driver-Long	25.4	RS6082
	1.27 Hex Torque Driver-Short	20.4	RS6080
	TMA/FC Hex Torque Driver - Long	25.0	RS6196
	TMA/FC Hex Torque Driver - Short	20.0	RS6197
	1.27 Hex Hand Driver-Medium	28.4	RS6094
	1.27 Hex Hand Driver-Short	22.4	RS6095
	TMA/FC Female Hand Hex Driver-Short	22.4	RS6193
	TMA/FC Female Hand Hex Driver-Long	28.4	RS6191
	Star Handpiece Driver - Long	30.0	RP0019
	Star Handpiece Driver - Short	25.0	RP0018
	Torque Driver for Ball Attachment	14.4	RS6090
	Star Torque Driver - Long	25.4	RP0005
	Star Torque Driver-Short	20.4	RP0065
	RP Retrieval Screw for Abutments	12.2	RP3401
	RS Retrieval Screw For Abutments	15.0	RS3401
	Star Hand Driver - Long	28.4	RP0004
	Star Hand Driver-Short	23.4	RP0064
	WP Retrieval Screw for Abutments	12.3	WP3401
	NP Retrieval Screw for Abutments	13.4	NP0014
	Prosthetic Torque Ratchet 15-35 Ncm	98.0	RS6112

Drill Stop Kit S1001 | Regular Long



Drills



Catalog No. DL1820

L

Pilot Drill 2mmD x 8-18mmL

35.5



Catalog No. DL1828

L

Twist Step Drill 2.3/2.8mmD x 8-18mmL

35.5



Catalog No. DL1832

L

Twist Step Drill 2.8/3.2mmD x 8-18mmL

35.5



Catalog No. DL1836

L

Twist Step Drill 3.2/3.6mmD x 8-18mmL




35.5

Stoppers

L

Catalog No.

Drill Stopper for Long L6 1820	6.0	S1820L6
Drill Stopper for Long L8 1820	8.0	S1820L8
Drill Stopper for Long L10 1820	10.0	S1820L10
Drill Stopper for Long L11.5 1820	11.5	S1820L11.5
Drill Stopper for Long L13/Short L8 1820	13.0	S1820L13
Drill Stopper for Long L15/Short L10 1820	15.0	S1820L15
Drill Stopper for Long L16 1820	16.0	S1820L16
Drill Stopper for Long L6 1828	6.0	S1828L6
Drill Stopper for Long L8 1828	8.0	S1828L8
Drill Stopper for Long L10 1828	10.0	S1828L10
Drill Stopper for Long L11.5 1828	11.5	S1828L11.5
Drill Stopper for Long L13/Short L8 1828	13.0	S1828L13
Drill Stopper for Long L15/Short L10 1828	15.0	S1828L15
Drill Stopper for Long L16 1828	16.0	S1828L16
Drill Stopper for Long L6 1832	6.0	S1832L6
Drill Stopper for Long L8 1832	8.0	S1832L8
Drill Stopper for Long L10 1832	10.0	S1832L10
Drill Stopper for Long L11.5 1832	11.5	S1832L11.5
Drill Stopper for Long L13/Short L8 1832	13.0	S1832L13
Drill Stopper for Long L15/Short L10 1832	15.0	S1832L15
Drill Stopper for Long L16 1832	16.0	S1832L16
Drill Stopper for Long L6 1836	6.0	S1836L6
Drill Stopper for Long L8 1836	8.0	S1836L8
Drill Stopper for Long L10 1836	10.0	S1836L10
Drill Stopper for Long L11.5 1836	11.5	S1836L11.5
Drill Stopper for Long L13/Short L8 1836	13.0	S1836L13
Drill Stopper for Long L15/Short L10 1836	15.0	S1836L15
Drill Stopper for Long L16 1836	16.0	S1836L16



Here's
how the
process
works

Each Drill Stops is marked with width and length,
note that some are suitable for long and short drill according to the following:
L: Drill length for long drill (18 mm)
S: Drill length for short drill (13 mm)



Drill Stop Kit S1002 | Wide Long



Drills



Catalog No. DL1842

L

Twist Step Drill 3.8/4.2mmD x 8-18mmL 35.5



Catalog No. DL1846

L

Twist Step Drill 4.2/4.6mmD x 8-18mmL 35.5



Catalog No. DL1852

L

Twist Step Drill 4.8/5.2mmD x 8-18mmL 35.5



Catalog No. DL1856

L

Twist Step Drill 5.2/5.6mmD x 8-18mmL 35.5

Stoppers	L	Catalog No.
Drill Stopper for Long L6 1842	6.0	S1842L6
Drill Stopper for Long L8 1842	8.0	S1842L8
Drill Stopper for Long L10 1842	10.0	S1842L10
Drill Stopper for Long L11.5 1842	11.5	S1842L11.5
Drill Stopper for Long L13/Short L8 1842	13.0	S1842L13
Drill Stopper for Long L15/Short L10 1842	15.0	S1842L15
Drill Stopper for Long L16 1842	16.0	S1842L16
Drill Stopper for Long L6 1846	6.0	S1846L6
Drill Stopper for Long L8 1846	8.0	S1846L8
Drill Stopper for Long L10 1846	10.0	S1846L10
Drill Stopper for Long L11.5 1846	11.5	S1846L11.5
Drill Stopper for Long L13/Short L8 1846	13.0	S1846L13
Drill Stopper for Long L15/Short L10 1846	15.0	S1846L15
Drill Stopper for Long L16 1846	16.0	S1846L16
Drill Stopper for Long L6 1852	6.0	S1852L6
Drill Stopper for Long L8 1852	8.0	S1852L8
Drill Stopper for Long L10 1852	10.0	S1852L10
Drill Stopper for Long L11.5 1852	11.5	S1852L11.5
Drill Stopper for Long L13/Short L8 1852	13.0	S1852L13
Drill Stopper for Long L15/Short L10 1852	15.0	S1852L15
Drill Stopper for Long L16 1852	16.0	S1852L16
Drill Stopper for Long L6 1856	6.0	S1856L6
Drill Stopper for Long L8 1856	8.0	S1856L8
Drill Stopper for Long L10 1856	10.0	S1856L10
Drill Stopper for Long L11.5 1856	11.5	S1856L11.5
Drill Stopper for Long L13/Short L8 1856	13.0	S1856L13
Drill Stopper for Long L15/Short L10 1856	15.0	S1856L15
Drill Stopper for Long L16 1856	16.0	S1856L16

